

By Instructions of a retained client

# LARGE SALE OF UNUSED ENGINEER'S TOOLS AND EQUIPMENT

## BIDDING ENDS

From 1pm Tuesday 26th January 2021

## VIEW

By Appointment with Kevin Clarke of Astoca by calling 07598 540790

## AT

Astoca;  
C/O SafeStore,  
1 Russell Street,  
Kelham Island,  
Sheffield,  
S3 8RW

## COLLECTION DAYS

By appointment with the Seller

## BUYERS PREMIUM

15% plus VAT

## NOTICE

This is a full PPE Site – visitors must wear adequate PPE at all times

At the close of the timed Online Auction Sale final bid figures will be submitted to the seller for its approval and any Bid shall be subject to approval and acceptance by the Company/Seller.

No bid may be withdrawn and **the Company/Seller does not bind himself to accept the highest Bid or any other Bid** placed in the course of the online Auction Sale.

Reacting to the latest government announcements, we have to plan on this situation being the new normal and we will do all that we can to make Viewing and Collections as risk free as possible. You are reminded that All lots are available to view via our Online auction platforms.

In order to protect both you and our staff we are taking immediate steps to help limit the spread of Coronavirus (COVID-19). This involves limiting physical contact on site.

To ensure we are doing everything possible to reduce the risk of infection for both our customers and colleagues, we will be introducing some distancing measures for View days and collections.

Please limit attendance on site to only one member of firm or family for viewing, and as small number as possible to deal with collection of your lots. All Viewing and Collections will now require an appointment.

For details of forthcoming sales and to be placed on our email mailing list please visit

[eddisons.com/online](https://www.eddisons.com/online)

## 1 SPECIAL CONDITIONS

These Special Conditions of Sale should be read in conjunction with the General Conditions of Sale for Online Auctions posted at [www.eddisons.com](http://www.eddisons.com) and contained within this catalogue.

## 2 VIEW

The lots will be on view on **By Appointment with Kevin Clarke of Astoca by calling 07598 540790**

NB The Auctioneers hereby specifically exclude liability for any accident or injury howsoever arising, sustained by any person or persons who may attend at the premises for the purpose of the auction, inspection, purchaser, collection or any other business. Children under the age of 16 are strictly not allowed on the auction premises

## 3 SALE

**Bidding Ends:** From 1pm Tuesday 26th January 2021 – please note that should any bid be received during the last 10 minutes of the sale, the chance to bid on that particular lot will be extended to 10 minutes. Important – when bidding do not forget to refresh your screen to ensure you are aware of all current bids.

## 4 REGISTRATION

To register for this sale visit [www.eddisons.com](http://www.eddisons.com) and click on the appropriate sale.

## 5 BUYERS PREMIUM

A Buyers Premium of 15% plus VAT will be charged on all lots in addition to the hammer price.

## 6 VALUE ADDED TAX (VAT)

VAT at the applicable rate will be added to all purchasers invoices.

For EU purchasers we require a copy of your company letterhead stating your VAT number and address. Any invoices will be subject to a bond, which equals the value of the VAT and once we receive a copy of the delivery notes confirming the delivery of goods to the country of your registration, which is to our satisfaction, we will refund the VAT bond. We require these documents within two months of the invoice date. VAT is not refundable on the buyers premium.

For purchasers out of the EU you will have to pay the VAT in the first instance and once we receive copies of bills of lading and delivery note confirming the delivery of goods, which is to our satisfaction we will refund the VAT. VAT is not refundable on the buyers premium. The bills of lading will need to quote the invoice number and Eddisons for us to match up your bills of lading with the correct invoice. We require these documents within two months of the invoice date.

## 7 DECLARATION

All invoices will be emailed **on Tuesday 26th January 2021**

## 8 PAYMENT TERMS

Full payment is required within 24 hours of the sale closing  
**(A) GENERAL**

### **ALL LOTS MUST BE PAID FOR BEFORE COLLECTION.**

No purchaser shall be entitled to remove any lot, or part thereof, until full payment has been made to the Auctioneers for every lot purchased.

**(B) PAYMENT****ACCEPTED METHODS OF PAYMENT ARE:****Online Payments:****Debit Cards (Visa, Maestro/Switch, and Solo) – UK based only**

For the payments to be processed correctly please make sure you use the correct registered card address. Any other address will cause the transaction to fail. Please make sure you have sufficient funds before payment.

**Bank Transfer Payments:**

**Faster Payments Service or CHAPS** – Please quote invoice number or buyer number as reference

**We DO NOT accept cash or cheques as payment please use the methods above.**

For bank transfers:  
Barclays Bank PLC  
Barclays Business Centre  
PO Box B72  
17 Market Place  
Huddersfield  
HD1 2AB

Eddisons Commercial Limited  
Plant & Machinery Clients Account  
Account No: 40860484  
Bank Sort Code: 20 48 46  
Swift Code: BARCGB22  
IBAN Code: GB97BARC20484640860484

**9 ANTI-MONEY LAUNDERING PROCEDURES**

The Law now requires that proof of identity must be presented to register at the sale. This can be provided either with a current signed passport, current full UK driving licence or utility bill. Cash deposits will NOT be accepted as an alternative proof of identification. Cash payments will not be accepted.

**10 BUYING INSTRUCTIONS**

Bidding is conducted online direct through the link on our website. All bids will be subject to client approval.

**11 TRANSFERS**

Eddisons will not recognise the sale of accounts (or parts of accounts) to third parties and we will only accept payment from and allow removal of items by the successful bidders themselves or their appointed agent.

**12 PURCHASE OF GOODS THROUGH A FINANCE COMPANY**

Please notify us well in advance of the sale if you are intending to purchase through a finance company. This is to ensure the finance company is able to make payment in accordance with the General & Special Conditions of Sale

**13 REMOVAL OF LOTS**

By appointment with the Seller during the hours of 9am and 4.00pm.  
The goods are at risk of the Buyer immediately upon receipt of invoice from the Auctioneers and should be removed as soon as possible for security reasons. Eddisons reserve the right to charge £5 + VAT per day for lots not collected within the removal deadline

**14 INSURANCE**

Goods become the responsibility of the purchaser at the fall of the hammer and we would recommend purchasers insure against all risks. (See Conditions of Sale).

**15 COLLECTION NOTES**

Purchasers must produce a Collection Note at the time of taking delivery of their Lots and Collection Notes will be issued by the Auctioneers only when they are satisfied that payment has been received

**16 COLLECTION SERVICE PROVIDERS**

Transnet is a courier company who are able to collect items on your behalf. To enquire about prices and to arrange collection and delivery of your items, please contact Transnet Couriers directly on **0844 543 4433** or email [info@transnetservices.co.uk](mailto:info@transnetservices.co.uk) ensuring that you quote Eddisons.

Mail Boxes, 38 Sunbridge Rd, Bradford, BD1 2DZ

Tel 01274726272 M:- 07976254758

Email:- [admin@mbebradford.co.uk](mailto:admin@mbebradford.co.uk) [www.mbebradford.co.uk](http://www.mbebradford.co.uk)

These Couriers are not endorsed by Eddisons, other courier companies and transport services are available

Please note Eddisons does not provide a packing and boxing service.

## 1. Interpretation

In these General Conditions the following definitions apply:

"Auction" any auction (whether a Live Auction or an Online Auction and whether conducted independently or simultaneously) conducted pursuant to these General Conditions and the Special Conditions;

"Auctioneer" the person conducting the Auction or to whom the conduct of the Auction is delegated under General Condition 7.12 below;

"Bidder" any person who offers to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender;

"Bid" an offer to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender, and "Bids" and "Bidding" shall be construed accordingly;

"Buyer" any person who agrees to purchase any Lot whether at Auction or by private treaty or tender and as determined under General condition 7.9 below;

"Buyer's Premium" a commission payable by the Buyer on the completion of a Sale the amount of which is set out in the Special Conditions; The Auctioneer, when acting as Agent for the Seller, may also receive commission from the Seller.

"Catalogue" the catalogue incorporating these General Conditions and the Special Conditions;

"Clearance Date and Time" the date and time on which all Lots must be removed by the Buyer from the Location as specified in the Special Conditions;

"Company" Eddisons Commercial Limited;

"Deposit" the sum payable by the Buyer to the Company as set out in the Special Conditions;

"Live Auction" any auction conducted at the Location or at such other location(s) as shall be notified by the Company in the Special Conditions or in the Catalogue;

"Location" the premises at which the Lots are located, as detailed on the website and in the auction catalogue;

"Lot" any Lot described in the Catalogue, on the Website or on the Company's invoice;

"Online Auction" any auction conducted over the internet via the Website pursuant to these General Conditions and the Special Conditions;

"Sale" the sale of any Lot by Auction, private treaty or tender and as determined under General Condition 7.17 below;

"Seller" the person upon whose instructions the Company is conducting the Sale;

"Special Conditions" any additions to these General Conditions set out or referred to in the Catalogue, announced at Auction or otherwise specified by the Company;

"Website" the website at: [www.eddisons.com](http://www.eddisons.com);

"VAT" Value Added Tax chargeable under English Law for the time being and any similar additional tax.

## 2. Application of these General Conditions

2.1. These General Conditions apply to every Auction of any or all assets, whether tangible or intangible, conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

2.2. If these General Conditions have not previously been accepted by a person bidding at the Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

2.3. These General Conditions, the Special Conditions and any terms set out in the Catalogue shall together comprise "Conditions of Sale".

2.4. To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the Auctioneer may adopt the condition deemed most appropriate in the circumstances, decided at his sole discretion.

2.5. These General Conditions shall be governed, construed and enforced in accordance with the law of England but:

(a) if the Auction is held in Scotland, in accordance with the law of Scotland;

(b) if the Auction is held in Northern Ireland, in accordance with the law of Northern Ireland.

2.6. Any reference to writing or written shall include email.

2.7. Any word or phrase having a meaning defined in these General Conditions shall have the same meaning when used in the Special Conditions.

### 3. Identities of the Parties

3.1. Every Bidder is required to give his name and address and provide satisfactory proof of identity and such other information and documentation as is required to the Company before making any Bid and in the case of:

- (a) a Live Auction by the completion of a registration form;
- (b) an Online Auction by online registration at the Website; and
- (c) a private treaty or tender by prior registration or notification of details, as and when requested by the Company.

3.2. The Company reserves the right at any time to reject the registration of any persons and refuse access to the Auction at its sole discretion.

3.3. On registration in accordance with General condition 3.1 the Bidder acknowledges that only adults aged 18 years and over are entitled to enter into a legally binding contract and as a result they are the only people entitled to register for the Auction. By registering the Bidder warrants that he is aged 18 years or older and is capable of forming a legally binding contract.

### 4. The Seller's Instructions and Warranties

4.1. The Seller warrants that:-

- (a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully be sold;
- (c) the premises where the Auction is to be held (if not the Auctioneers premises) will be safe for that purpose and that it will be lawful to hold the Auction there;
- (d) **Errors & omissions.** Details are provided in good faith. They should not be relied upon as fact and buyers must make their own investigations where measurements, mileage, hours, condition or authenticity are critical. Buyers should make themselves satisfied they are happy with the lot before they bid as viewing is available on all lots by prior appointment, all bids are non-retractable.

We strictly enforce our terms and conditions. Potential purchasers, who do not inspect lots prior to bidding, do so at their own risk.

The condition and function of an item should be confirmed by the bidder, prior to bidding, there will be NO refunds or allowance given after the closure of the bidding process. Your bid is your commitment to purchase, not to view or negotiate after the sale. Transgression of these rules will result in the bidder being blocked from taking part in future auctions.

No warranty is offered or implied; each lot is bought and sold as seen. Viewing is welcome and recommended.

4.2. If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:

- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in condition 4.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

### 5. The Auctioneer's Remuneration

5.1. The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

5.2. The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

### 6. Bidding on behalf of Another

6.1. Unless the Auctioneer has previously acknowledged in writing that the Bidder bids as agent on behalf of a named principal, every Bidder shall be taken to bid on his own behalf as principal.

6.2. If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

6.3. Any Bidder acting as agent on behalf of a named principal shall remain liable to the Seller and the Company for all obligations and liabilities of his principal jointly and severally with the principal. The Bidder warrants that he has the authority of his principal to make each Bid made.

## 7. Conduct of the Auction

- 7.1. The Auctioneer offers each lot as agent of the Seller and not as principal unless otherwise indicated In the Auction Catalogue.
- 7.2. Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.
- 7.3. The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue. Persons entitled to Bid pursuant to this condition 7.3 shall be entitled to place Bids on any Lot up to the reserve price including by placing Bids in response to other Bidders.
- 7.4. The Auctioneer may at any time before close of the online auction withdraw or divide any Lot or combine any Lots.
- 7.5. With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.
- 7.6. No Bid shall be retracted without the consent of the Auctioneer.
- 7.7. The Auctioneer will require any Bidder to give his name and address and to provide satisfactory proof of identity before making any bid. The Bidder must also complete the online registration at the Auctioneer's website.
- 7.8. The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.
- 7.9. The Buyer shall be the person who made the highest bid before the conclusion of the Sale pursuant to condition 7.16 subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other person as the Auctioneer may declare to be the Buyer without being required to give a reason.
- 7.10. The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.
- 7.11. The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.
- 7.12. The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions.
- 7.13. The Auctioneer may from time to time act jointly with an associated Auctioneer who will be named in the Catalogue and/or in the Special Conditions.
- 7.14. Lot descriptions will be amended as appropriate as and when information becomes available to the Company. Prospective Bidders must read Lot descriptions before making a Bid so that they are fully aware of any amendments to the description appearing in the Special Conditions and/or on the Website or in the Catalogue in relation to a particular Lot.
- 7.15. A Sale is concluded (constituting acceptance of the Bidder's offer, subject to General Condition 7.9 above) when:
  - (a) in the case of a Live Auction, on the fall of the Auctioneer's hammer; and/or,
  - (b) in the case of an Online Auction, at the close of the timed Online Auction Sale as specified on the Website and as defined by General Condition 7.20(c) below or;
  - (c) in the case of a private treaty or tender, when the Bidders Bid is accepted by the Company, such acceptance to be communicated to the Bidder in writing by way of receipt of the Company's invoice.
- 7.16. The Buyer shall be the person who made the highest Bid before the conclusion of the Sale pursuant to General Condition 7.15 above subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other Bidder as the Auctioneer and/ or the Company may declare to be the Buyer without being required to give a reason. The Auctioneer and/ or the Company and/ or the Seller is not bound to accept the highest Bid or any other Bid placed in the course of the Auction.
- 7.17. In the case of an Online Auction the Buyer, as determined under General Condition 7.9 above, shall within a reasonable time after the conclusion of the Sale receive by email an invoice in respect of the monies due for the Lot(s) purchased.
- 7.18. In the event that the reserve price is not met, the Company may consider the Bids received below the reserve price with the Seller who at its sole discretion may accept, reject or place a counteroffer.
  - (a) Your highest bid will be treated as a valid bid even if at the time of placing it the RESERVE is NOT MET. Vendors regularly instruct us to reduce the reserves in the closing hours and put items on sale. Remember when placing a bid you are bidding to buy!
- 7.19. On conclusion of the Sale and acceptance of the Bidders Bid pursuant to General Conditions 7.15 and 7.9 above, the Buyer acknowledges and agrees that he has entered into a contract with the Seller to buy the Lot and the Buyer must complete the transaction to purchase the Lot.

7.20. In relation to an Online Auction:

- (a) the Company cannot guarantee that the internet services will operate continuously or without interruptions and this could affect the conduct of the Online Auction and the Bidders ability to Bid online. The Company shall not be liable in any respect in the event of any dispute due to errors, omissions or disruptions to internet services or power failures or any other unforeseen circumstances which may occur during the Online Auction;
- (b) the Auctioneer may at any time, without notice, postpone or cancel an Online Auction or extend an Online Auction beyond the published closing time (including extension of the timed Online Auction in accordance with General Condition 7.20(c) below);
- (c) the timed Online Auction Sale is auto bid extension enabled meaning that where a Bid is placed within ten minutes of the original scheduled close of the timed Online Auction the scheduled close of the timed Online Auction will automatically be extended by to ten minutes remaining. This continues with a new scheduled close time each time a Bid is placed until no-one places a Bid before the last scheduled close of the timed Online Auction. Every time a Bid is placed within ten minutes or less left in the Online Auction the time will change to ten minutes Bidding time until there are no more Bids. Such time shall then be deemed to be the close of the timed Online Auction.

7.21. Risk of damage to or loss of the Lot(s) shall pass to the Buyer immediately upon the conclusion of the Sale.

7.22. Copies of the Auctions (Bidding Agreements) Act 1927 and 1969 are held at the Company's and/or the Auctioneer's principal place of business.

## 8. After the Sale

8.1. Upon the Auctioneer declaring any Lot sold, the Buyer shall immediately:

- (a) identify any person on whose behalf he has bought;
- (b) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

8.2. Within the time specified in condition 8.3 below, the Buyer shall pay the following sums to the Auctioneer in full:

- (a) the balance of the price of all Lots purchased together with any VAT due;
- (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or his agent.
- (c) any other payment or amount due to the Seller and/or the Company pursuant to these General Conditions or the Special Conditions.
- (d) Changing of Invoices already raised (i.e. changing the name and address) carries an administration fee of £10 + Vat.

8.3. The time for complying with condition 8.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

- (a) Bidders who fail to pay or fail to pay within the allotted time will have their account suspended and will be removed from any further bidding process, reinstatement will be subject to a £20 + Vat administration fee at the auctioneers discretion.

8.4. The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with condition 8.2 above, in which case the Buyer shall pay to the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 1.5 per cent above Barclays Bank plc base rate in force from time to time.

8.5. Until the Buyer has complied with condition 8.2 above:

- (a) title to any Lot bought shall not pass to the Buyer;
- (b) the lot shall be at the Buyer's risk;
- (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
- (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold proceeds of resale or other disposition on trust for the Auctioneer and the Seller.

8.6. On written request by the Buyer, the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

8.7. In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash.

8.8. The Company will only accept payment from the Buyer or its authorised agent.

## 9. Removal of Lot Bought

9.1. The removal of Lots from the Location shall be undertaken by the Buyer entirely at its own risk and without any liability whatsoever to the Company.

- 9.2. Buyers are responsible for any and all costs and expenses incurred in relation to the removal of Lots and any other applicable charges, taxes and insurance costs.
  - 9.3. The Buyer may not remove any Lot he has bought until after the end of the Auction.
  - 9.4. The Buyer may not remove any Lot until the Buyer has paid by cleared funds the sums specified in condition 8.2 above in full for every Lot he has bought.
  - 9.5. After paying the sums specified in condition 8.2 above, the Buyer must remove the Lot(s) bought by the time specified in the Auction Catalogue or if no time is specified, 4.00pm on the next working day and in every case time shall be of the essence. Late collections not authorised will be subject to a £10 + Vat per pallet space storage fee.
  - 9.6. The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in condition 9.5 above.
  - 9.7. If any Lot is not removed by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Buyer must pay to the Auctioneer any costs incurred due to the delayed removal.
  - 9.8. If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.
    - (a) If the vehicle does not have a V5C document, the purchaser will need to complete form V62 'Application for a vehicle registration certificate' and send it to DVLA with any fees that may be applicable, DVLA have advised that any new V5C documents could take up to 6 weeks to be issued.
  - 9.9. When removing any Lot the Buyer:
    - (a) Is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer.
    - (b) must use safe and lawful means of removing the Lot;
    - (c) shall indemnify the Auctioneer and the Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal;
    - (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.
  - 9.10. The Company will only permit the removal of Lots purchased by the Buyer or its authorised agents.
  - 9.11. Lots may only be removed during normal working hours or such hours as are specified in the Special Conditions. No clearance on Bank or Public Holidays.
  - 9.12. If required, prior to removing any Lot from any Location, the Buyer must prepare a Risk Assessment and Methods Statement which complies with The Construction (Design and Management) Regulations 2007, COSHH or with any subsequent amendments thereof or such other legislation as may be in force. Any such statement is to be provided to the Company.
  - 9.13. The Buyer undertakes to comply with the provisions of the Data Protection Act 1998 in processing data held by them in connection with any Lot. The Buyer undertakes to delete any data that may inadvertently remain on the subject hardware, save for where such data forms part of a sale of the business.
- 10. Default by the Buyer**
- 10.1. If at any time the Buyer has failed either to pay the sums specified in condition 8.2 above in full by the expiry of the time specified in condition 8.3 above (or any extension granted under condition 8.4 above), or to remove any Lot by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Auctioneer may rescind the sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.
  - 10.2. If the Buyer fails to make any payment on the due date for payment then, without limiting any other right or remedy available to the Seller, the Buyer shall pay to the Company interest (both before and after any judgment) on the amount unpaid at the rate of 1.5% above the bank base rate of Barclays Bank Plc per month or any part thereof until payment in full is made.
  - 10.3. If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.
  - 10.4. If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:
    - (a) the sale price less the resale price;

- (b) the costs of and incidental to resale.
- 10.5. The Auctioneer shall not be liable to account to the Buyer in event of a resale at a higher price than the price contracted to be paid by the Buyer.
- 10.6. If because the Buyer has failed to remove any Lot by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.
- 10.7. The Buyer shall indemnify the Seller and/or the Company against any loss, damages, expenses, claims or liabilities incurred by the Seller and/or the Company arising from the Buyer's failure to remove the Lot.

#### **11. Liabilities and Indemnities**

- 11.1. The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer may have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.
- 11.2. Each Lot is sold as seen and where lying.
- 11.3. No Lot is sold as comprising or including any new goods.
- 11.4. The Auctioneer does not represent any Lot as being in a condition which makes it suitable for domestic use. Despite the above, should Buyers intend to supply any Lots for domestic use, they should ensure that the Lots comply with the requirements of the Furniture and Furnishings (Fire Safety) Regulations 1988 or any other similar law.
- 11.5. The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and there is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions, warranties or representations relating to the condition of any Lot sold or the merchantable quality of any Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions, warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.
- 11.6. No liability shall attach to the Auctioneer either in contract or in tort for loss injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:
- (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
  - (b) any defect or danger of the premises where the Auction is held;
  - (c) any alleged failure of the Auctioneer properly to advertise the Auction or to seek or obtain expert advice with regard to any Lot offered for sale or its reserve price;
  - (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
  - (e) any act or omission of any person other than the Auctioneer.
- 11.7. The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in condition 11.6 above.
- 11.8. The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in condition 11.6 above.
- 11.9. Conditions 11.3 to 11.1 shall not be valid insofar as prohibited by statute.
- 11.10. In no circumstances shall the Auctioneer be liable for any consequential loss or damage.

#### **12. Waiver**

- 12.1. No indulgence by the Auctioneer shall prevent the Auctioneer or the Seller subsequently insisting upon their respective rights and remedies.

#### **13. Health and Safety At Work Act 1974 (HSWA)**

- 13.1. Waivers (SHE-42 and 42a)
- 13.2. Section 6 (8) of the Act - In certain instances it may be necessary for the Purchaser to give a written undertaking pursuant to Section 6 (8) of the Health and Safety At Work Act 1974.
- 13.3. Asbestos/Hazardous Substances. It is expressly brought to the purchasers attention that certain types of plant or main service installations could contain Asbestos, dangerous chemicals, etc, which if not handled correctly during their removal from the site could be in breach of the Health and Safety at Work Act 1974, the Control of Asbestos

at Work Regulations 2002, the Asbestos (Licensing) Regulations as amended and the Control of Substances Hazardous to Health Regulations 1988 (COSHH) or any other current legislation covering the use of such substances in a working environment.

- 13.4. All purchasers must comply with all current legislations and regulations, including the Water Industry Act 1994 (as amended) and the Environment Protection Act 1990, as amended; In relation to the removal/disposal of waste/trade effluent including hazardous waste and may be required to satisfy Eddisons in relation to their disposal/removal procedures. Where waste materials are removed all work must be undertaken by an approved and licensed contractor.

#### 14. Acknowledgements and Exclusion of Warranties

- 14.1. The Buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the Seller or the Company or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the Lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.
- 14.2. The Buyer further acknowledges that neither the Sellers nor the Company shall in any circumstances be liable to or to compensate the Buyer nor shall the Buyer be entitled to rescind the Sale or reject any Lot for an error omission or misstatement contained in the Catalogue and/or in the Special Conditions.
- 14.3. The Buyer also acknowledges that:-
- (a) all the Lots are purchased on the basis that risk of good title to all or any of them passing to the Buyer is at the Buyer's risk and without limitation the Lots are sold subject to any claims, liens, distraint and execution and subject to all leasing, hire or hire purchase agreements and reservation of title claims (if any) in respect of them;
  - (b) if it shall be found that the Seller does not have title to all or any of the Lots the Buyer shall have no right to rescind, avoid or vary this agreement or to claim damages or a reduction in the price paid or payable;
  - (c) anything found in, under, near or in any Lot which is not specifically included in the description of the Lot remains the property of the Seller;
  - (d) any intellectual property rights or software subsisting in a Lot may be third party property and as such the Seller and/or the Company may be unable to effect transfer. The Buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the Buyers sole risk.
- 14.4. The Buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the Buyer's responsibility to remove Company logos and lettering from vehicles. Odometer readings are not warranted.
- 14.5. The Buyer acknowledges that any item of plant, machinery or equipment contained in the Lot(s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the Seller nor the Company shall incur any liability to the Buyer because of any default or defect in all or any of the Lots. Buyers are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.
- 14.6. The Buyer acknowledges and agrees that the Company is acting only as agent of the Seller and it is expressly agreed and declared that no personal liability in connection with the Sale of any Lot or otherwise shall fall on the Company and the Buyer shall indemnify the Company against all and any liabilities arising under or in connection with the Sale of any Lot. Insolvency Practitioner(s), including but not restricted to Administrative Receiver(s), Administrator(s), Liquidator(s), Trustee(s) and Supervisor(s) act as agent(s) for the Seller without personal liability and shall incur no personal liability whatsoever in relation to a Sale or pursuant to any document relating thereto.
- 14.7. The Buyer agrees that the General Conditions and the exclusions which they contain are fair and reasonable bearing in mind that:-
- (a) the Buyer must rely absolutely on the Buyer's own opinion and/or professional advice concerning the quality, state, condition, performance and functionality of the Lots any right, title or interest which is sold under the terms of these General Conditions, their fitness and suitability for any particular or any purpose, the possibility that some or all of them may have defects not apparent on inspection and examination including, without limitation, the presence of contamination and the possibility that the Buyer may not acquire title and the fact that the Buyer would have no remedy under this Agreement should that happen;
  - (b) the Buyer has available to it skilled professional advice and on that basis agrees to purchase a Lot for a consideration calculated to take into account amongst other things the risk to it represented by the fact that the parties believe that all the exclusions and limitations set out in these General Conditions would be recognised as

being fully effective by the Courts and the Seller making it clear that it would not have agreed to sell any Lot on any other basis except for a higher consideration;

(c) the Buyer has been given every opportunity which might reasonably be expected to examine and inspect the Lots.

14.8. Notwithstanding anything else in these General Conditions, the Seller's and the Company's total liability under or in connection with the Sale of any Lot, whether in respect of breach of contract, tort (including negligence), breach of statutory duty or otherwise, including consequential loss, shall be limited in aggregate to the price paid for the Lot or if no price has been paid then the higher of the market value or reserve price for the Lot. This General Condition 8.8 does not apply to liability for death or personal injury.

14.9. The Buyer acknowledges that a Sale by Auction is not a consumer sale for the purposes of the Sale of Goods Act 1979 (as amended by the Sale and Supply of Goods Act 1994) and the Unfair Contract Terms Act 1977 and the Buyer shall not seek to rely upon and conditions or warranties implied thereby or by any other legislation.

## **15. Entire Agreement**

15.1. These General Conditions, the Special Conditions and the Auction Catalogue constitute the entire agreement between the parties and supersede and extinguish all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.

15.2. Each party agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in this agreement. Each party agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in this agreement.

## **16. Jurisdiction**

16.1. Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this agreement or its subject matter or formation (including non-contractual disputes or claims).

**There will be a Buyers Premium of 15% plus VAT**

**PLEASE SEE SALE NOTES RE PAYMENT AND COLLECTION OF LOTS**

## CATALOGUE

**Bidding Ends:** From 1pm Tuesday 26th January 2021

- 1 Mitutoyo 468-978 unused internal diameter bore micrometer; Range 20-50mm
- 2 Mitutoyo 124-173 unused gear tooth micrometer; 0-25mm range
- 3 Oxford unused portable refractometer; 11x magnification
- 4 Oxford unused 335-5310K blade micrometer; 0-25mm range
- 5 Kern 281-752 precision mechanical spring balance; Aluminium housing, weigh capacity 2500g. Hook load support
- 6 (1) Brannan 15/845117 BS718 M100 density hydrometer; (1) Brannan wall thermometer; (1) Brannan work place thermometer
- 7 (3) Scope J847W water resistant junior testoscopes; Range 150-450 volts, AC/DC
- 8 (6) Nova Engo Explorer DG16 N1606-0 dental double ended probes; (1) Oxford 314-610OK counter; (1) Kennedy No 1-60 imperial drill gauge; (2) Metcal SSC-645A replacement tip cartridges for temperature sensitive hand soldering unit; (3) Hoval 414026 sight glass sets; (3) assorted magnifying classes/loupes; Micrometer spares etc.,
- 9 (6 sets) Fortus T12 computer aided TIP sets (2 piece) 007" (.178mm) slice, for Fortus 3D PC printers; FDM Thermoplastic 3D production printer used for prototyping, tooling and digital manufacturing.
- 10 (1) Kennedy 1.1/4" BSP GO/NO GO screw plug gauge with certificate PLUS (1) 7/8" BSP GO/NO GO screw plug gauge
- 11 (1) Kennedy M2 x 0.4mm go screw ring gauge PLUS (1) 7.2mm GO double ended plain plug gauge, 7.3mm NO GO
- 12 Makita FS2500 unused screwdriver, 110 volt
- 13 Bosch unused GSB 14.4VE-2 cordless impact drill
- 14 Bosch GSR18VE-2 drill (BODY ONLY)
- 15 Dewalt DW840 unused angle grinder 7"; 240 volt, 1800 watt
- 16 Sealey SMS 2008 unused bench mounted drill bit sharpener 80 watt
- 17 (1) Edison MET060 5in1 digital multimeter & environmental testers
- 18 (2) Edison EET 01 electrical testers with LCD display
- 19 Dormer L115101 set E500-A002 drill & tap 14 piece set, metric in case
- 20 Sherwood 29 piece HSS drills; Imperial 1/16" -1/2" x 1/64" in metal case
- 21 Sherwood 50mm dia., x 605mm o/all morse taper shank extra length drill

- 22 (5) Dormer 5/16" HSS A130 MTS drills
- 23 (3) Dormer 9.5mm HSS MTS drills PLUS (2) Sherwood 11.7mm MTS drills
- 24 (100) Unbranded 7/32" HSS jobber drills in tubes
- 25 (100) Unbranded 7/32" HSS jobber drills in tubes
- 26 (100) Unbranded 7/32" HSS jobber drills in tubes
- 27 (100) Unbranded 7/32" HSS jobber drills in tubes
- 28 (100) Unbranded 7/32" HSS jobber drills in tubes
- 29 (100) Unbranded 7/32" HSS jobber drills in tubes
- 30 (120) Brown Tools 21185, No.13 cobalt short threaded drills (USA) (for restricted access)
- 31 (120) Brown Tools 21185, No.13 cobalt short threaded drills (USA) (for restricted access)
- 32 (150) Unbranded 11/64" HSS stub drills
- 33 (150) Unbranded 11/64" HSS stub drills
- 34 (150) Unbranded 11/64" HSS stub drills
- 35 (150) Unbranded 11/64" HSS stub drills
- 36 (150) Unbranded 11/64" HSS stub drills
- 37 (150) Unbranded 11/64" HSS stub drills
- 38 (150) Unbranded 11/64" HSS stub drills
- 39 (150) Unbranded 11/64" HSS stub drills
- 40 (200) Unbranded 13/64" HSS stub drills
- 41 (200) Unbranded 13/64" HSS stub drills
- 42 (200) Unbranded 13/64" HSS stub drills
- 43 (200) Unbranded 13/64" HSS stub drills
- 44 (84) Brown Tools 3/32" cobalt jobber drills (USA made)
- 45 1 lot (approx 60) Assorted HSS stub & jobber drills PLUS (2) 1/2" dia., x 4" HSS toolbits; (15) 3/4" x .006" x 1/4" bore HSS slotting cutters; (5) 2" x .202" x 5/8" bore HSS slotting cutters
- 46 1 lot Assorted Dormer & Guhring HSS & cobalt jobber drills including (10) 7.9mm A108 jobber drills for stainless; (10) 7.6mm A120 stub drills; (2) 13.5mm A108 drills etc.,
- 47 (10) 3mm Dormer solid carbide R100 jobber drills
- 48 (5) 5.5mm Kennametal solid carbide jobber drills KC7315 grade
- 49 (3) 5.7mm Kennametal solid carbide jobber drills KC7315 grade
- 50 (2) 9.5mm Kennametal solid carbide jobber drills KC7315 grade
- 51 (3) 11mm Kennametal solid carbide jobber drills KC7315 grade

- 52 (2) 11.2mm Kennametal solid carbide jobber drills KC7315 grade
- 53 (4) 12mm Kennametal solid carbide jobber drills KC7315 grade
- 54 (4) 12mm Kennametal solid carbide jobber drills KC7315 grade
- 55 (1) 13mm Kennametal solid carbide jobber drills KC7315 grade
- 56 (9) Mitsubishi 3.2mm MPS 0320L-DIN-C solid carbide drills VP15TF grade
- 57 (9) Mitsubishi 3.2mm MPS 0320L-DIN-C solid carbide drills VP15TF grade
- 58 (5) Mitsubishi 4.1mm MPS 0410L-DIN-C solid carbide drills VP15TF grade
- 59 (12) Mitsubishi 4.8mm Violet solid carbide drills VA-PDS
- 60 (8) Mitsubishi 5.0mm Violet solid carbide drills VA-PDS
- 61 (8) Mitsubishi 5.1mm Violet solid carbide drills VA-PDS
- 62 (8) Mitsubishi 5.2mm Violet solid carbide drills VA-PDS
- 63 (8) Mitsubishi 6.1mm Violet solid carbide drills VA-PDS
- 64 (8) Mitsubishi 6.1mm Violet solid carbide drills VA-PDS
- 65 (8) Mitsubishi 6.2mm Violet solid carbide drills VA-PDS
- 66 (7) Mitsubishi 8 mm Violet solid carbide drills VA-PDS
- 67 (7) Mitsubishi 8 mm Violet solid carbide drills VA-PDS
- 68 (7) Mitsubishi 8.1mm Violet solid carbide drills VA-PDS
- 69 (7) Mitsubishi 8.1mm Violet solid carbide drills VA-PDS
- 70 (6) Mitsubishi 8.2mm Violet solid carbide drills VA-PDS
- 71 (6) Mitsubishi 8.2mm Violet solid carbide drills VA-PDS
- 72 (6) Mitsubishi 8.2mm Violet solid carbide drills VA-PDS
- 73 (6) Mitsubishi 10 mm Violet solid carbide drills VA-PDS
- 74 (6) Mitsubishi 10 mm Violet solid carbide drills VA-PDS
- 75 (6) Mitsubishi 10.2mm Violet solid carbide drills VA-PDS
- 76 (6) Mitsubishi 10.2mm Violet solid carbide drills VA-PDS
- 77 (6) Mitsubishi 10.2mm Violet solid carbide drills VA-PDS
- 78 (9) Assorted solid carbide drills: (1) 3.2mm; (2) 5.1mm; (1) 5.2mm; (1) 6.1mm; (1) 6.2mm; (1) 8.2mm; (2) 10mm;
- 79 Assorted carbide milling cutters: (4) Kennametal BO 10NT N2 SU4500 SCEM 912203940 end mills; (11) 2mm Kyocera end mills; (3) 2.5mm SGS end mills
- 80 (2) Kyocera 40173 4 flute sq end solid carbide end mills
- 81 (2) Kyocera 40173 4 flute sq end solid carbide end mills
- 82 (11) Assorted solid carbide end mills: 1/4"; 9mm, 10mm, 14mm etc.,

- 83 (30) Stellram CNMG 190612E-4T grade NL40 coated inserts
- 84 Assorted carbide cutters including: (9) Garryson 2.5mm ball end cylindrical burrs; (2) carbide punches; (10) Noga BS1012 Tin coated deburring blades; (6) Noga S10 L/H blades
- 85 (4) Drill Service carbide tipped reamers, RCTSFR straight flute; 26.51mm, straight shank 8 flute
- 86 (4) Drill Service carbide tipped reamers, RCTSFR straight flute; 15.012mm, straight shank 6 flute
- 87 (4) Drill Service carbide tipped reamers, RCTSFR straight flute; 13.005mm, straight shank 6 flute
- 88 (4) Drill Service carbide tipped reamers, RCTSFR straight flute; 13.512mm, straight shank 6 flute
- 89 (30) Seco DNMG 150408-M3 indexable turning inserts grade TP200
- 90 (2) Seco MM10-10012-A30-E03 grade F30M Minimaster replacement head milling inserts
- 91 (2) Seco MM10-10012-A30-E03 grade F30M Minimaster replacement head milling inserts
- 92 (2) Seco MM10-10012-A30-E03 grade F30M Minimaster replacement head milling inserts
- 93 Assorted Sandvik indexable inserts comprising: (4) DNMG 110408-MF grade 2025; (10) DNMG 110408-QF grade 5015; (4) 266LG-16W H01A140M grade 1125 thread inserts; (10) DNMG 150608-PM grade 4335; (10) RCMT 1204M0-SM grade S05F; (4) R290.90-1504M-WM grade 4040; (3) 215.3-1211-1-11 grade 4040 inserts
- 94 Ceratizit inserts: (8) GX24-2E3.00N030 grade CTP 1340+; (9) GX24-2E3.00 N0.30 grade CTP1340 inserts
- 95 Ceratizit inserts: (10) SPMT 090308SN grade GM43+; (10) DCGT 11T304EN-GF grade TCM 10; (10) XCNT 09T304EN grade CM40 inserts
- 96 (1) Plansee toolholder UT63-EC25L-2.25D 13-M1Y
- 97 (2) Iscar Multi Master MM grit 22K-2.00-0.20 528 grade P25-P45 replacement carbide pieces
- 98 Iscar inserts: (13) DCGT 11T302-FIP grade IC40T; (10) H600 WXCW 080612HP grade IC328; (13) DGN 4003C grade IC328 inserts
- 99 Iscar holders: (4) DGAD 4N blades; (1) IWSN 3-2W spare; (1) DGTR 2525-3 toolholder;
- 100 (2) Iscar SGFH 32-3 blades
- 101 (2) Iscar SGFH 32-3 blades
- 102 (3) Iscar GHDR 20-4 Cut Grip toolholders
- 103 (3) Iscar S0812 J SWUBR-06 screw clamp miniature boring bars (hold WBMT inserts)
- 104 PWLNR 2525M-06 Iscar indexable toolholder
- 105 Kennametal A25R NNTOR 3 indexable boring bar
- 106 Indexa Seiki S32U CSKPR-12 indexable boring bar with (10) inserts to suit P35 grade coated
- 107 Indexa Seiki boring bar S25T PSKNR - 12
- 108 (2) Kyocera S20 DRZ 1456-05 Magic indexable drills (holds ZCMT 05T2 inserts)
- 109 (2) Kyocera S25 DRZ 1734-06 Magic indexable drills (holds ZCMT 06T2 inserts)

- 110 (2) Kyocera Magic drills comprising: (1) S20-DRZ155310-05 drill PLUS (1) S20-DRZ1428-05 drill
- 111 Allied Maxcut 25050S-005M AS extended 5 MT straight flute indexable drill; 508mm body length, coolant feed. (holds insert range 62mm - 89mm)
- 112 (5) Allied Maxcut drill bits: (1) 4C 22H-35 No.2 GEN 2 drill insert 35mm; (3) 151N-23.7mm, 5% cobaltTiCN inserts; (1) 151N-20.5 insert
- 113 (7) Assorted reamers: (3) 12.75mm HSS MTS machine reamers; (1) 7.9mm Toolex HSS MTS machine reamer; (1) 7/32" HSS hand reamer; (2) 7.8mm MTS machine reamers
- 114 Assorted taps comprising: (2) N0. 2 UNF HSS spiral points taps; 1 set 7mm HSS taps; (1) 5mm & (1) 6mm spiral flute taps; (1) 18mm HSS taper tap; (1) 6mm HSS machine nut plug tap; (1) M4 HSS second tap; (1) 1/2" HSS BSP circular split die; 1 set of 5 stud extractors
- 115 (10) 2mm HSS Yamawa 1356 fluteless taps TiCN coated (Japanese)
- 116 (10) 2mm HSS Yamawa 1356 fluteless taps TiCN coated (Japanese)
- 117 (20) Dormer E531, 3/16" x 24TPI BSW plug taps
- 118 (16) Dormer E531, 3/8" x 16TPI BSW 2nd taps
- 119 (16) Dormer E531, 3/8" x 16TPI BSW 2nd taps
- 120 (16) Dormer E531, 3/8" x 16TPI BSW 2nd taps
- 121 (6) Dormer taps comprising: (4) 1/2" BSW HSS 2nd taps; (2) M8 HSS 2nd taps
- 122 (2) Walter Prototex Inox M22 x 1.5mm 21263 6HT long shank spiral point taps
- 123 (6) OSG Tin coated M16 x 1mm plug taps
- 124 (5) Sandvik E308M5 5mm 6HX Corotap 400 Tin coated fluteless taps
- 125 (5) Swiss Tech M8 x 1.25mm spiral flute taps
- 126 Assorted milling cutters comprising: (1) 24mm HSS bolt T slot cutter; (1) 1" cobalt 3 flute screw shank slot drill; (14) FC3 throw away cutters; (1) 8mm TiAlN coated slot drill
- 127 (1 set of 3) TWT UK, 3/8" NPT HSS hand taps
- 128 1 lot assorted Granlund back spot facing cutters: (4) 25mm dia; (3) TCT 16mm cutters; (4) 16.5mm cutters PLUS pilots etc
- 129 (10) Mircona inserts MS3D grade ALP280
- 130 Assorted Tungaloy inserts: (7) CCMT 09T304-PS grade NS530; (9) Walter CCMT 09T304-PF4 grade WSM 10 inserts; (10) CCMT 09T304-PM grade T6030 inserts; (10) CCGT 060202R-W15 grade NS 530 inserts;
- 131 (30) Stellram EPMT 08M308E-73 grade SFZ inserts
- 132 (20) Taegutec TCMT 16T308 inserts grade MT & (6) TNMG 110304-CB grade T9015 inserts
- 133 (40) Assorted carbide indexable turning inserts
- 134 (42) Toshiba TNMG 160404-TM grade T9115 indexable inserts
- 135 (5) carbide threadmill inserts 21XTM 11W grade K20R Scandinavian Tool System manufacture
- 136 (11) Stellram threadmill inserts TM30N 12UN grade SFZ

- 137 (30) APT part off indexable inserts PTNT 50 grade P30C; (Equivalent to GTN 5 inserts)
- 138 (100) Kennametal CCMT 120408MF grade KC5525 indexable inserts
- 139 (100) Kennametal CCMT 120408MF grade KC5525 indexable inserts
- 140 (100) Kennametal CCMT 120408MF grade KC5525 indexable inserts
- 141 (100) Kennametal CCMT 120408MF grade KC5525 indexable inserts
- 142 (95) Kennametal CCMT 120408MF grade KC5525 indexable inserts
- 143 (50) CNMG 190612MP grade KC95025 Kennametal inserts
- 144 Assorted Kennametal inserts: (17) DCMT 11T308MF grade KC9240; (7) DCMT 11T304MF grade KC9110 inserts; (12) DCMT 11T304MF grade KC9240 inserts
- 145 Assorted Kennametal drilling inserts: DFT 030304MD grade KC720 inserts; (19) DFT 06T308HP grade KC7215 inserts; (3) DFR 020204LD grade KC7225 inserts
- 146 (20) Kennametal SPHX 090308 R20 grade KC7215 inserts
- 147 (18) Kennametal DFT 06T308LD grade KC7225 drilling inserts
- 148 Assorted Kennametal inserts: (15) VBMT 11T304LF grade KC5010 inserts; (3) VBMT 110302LF grade KT315 inserts
- 149 Assorted Kennametal inserts: (6) CNMG 120408MP grade KC5010 inserts; (11) CNMG 090308MN grade KCP10 inserts
- 150 Assorted Kennametal inserts: (7) VNMG 160408RP grade KC5525; (2) VBGT 160408HP grade K313 inserts; (5) VBGT 110301LF grade KC5010; (6) VCGR 160412 grade KC850; (5) TPGT 110201LF grade KC5010 inserts; (5) TPUN 160308 grade K68 inserts
- 151 Assorted Kennametal inserts: (4) CPGT 09T302LF grade KC5410 inserts; (5) CPMT 09T304LF grade KC9240 inserts; (20) CPGT 09T302LF grade KC5410 inserts
- 152 Assorted Kennametal inserts: (15) CNHU 1005R16 grade KC520M; (3) CNGA 120408EFW grade KY4400 inserts
- 153 Assorted Kennametal inserts: (10) A2 cut off inserts 1793770 grade KC5025; (3) A460400MO4P02GMP grade KC5025 inserts
- 154 (14) Kennametal Top Notch grooving inserts: NG3M 225RK grade KC5025
- 155 Assorted Kennametal Top Notch inserts: (12) NG3M 325LK grade KC5025; (1) NG3M 275RK grade KC5025 insert
- 156 (22) Kennametal threading inserts NA3L6 grade KC5010
- 157 Assorted Kennametal Top Notch inserts: (10) NG2M 150LK grade KC5025 grooving inserts; (5) NG2M 325LK; (6) NG2M 100LK inserts
- 158 (25) Assorted Kennametal indexable inserts
- 159 Assorted Kennametal Top Notch inserts: (4) NG4M 400RK inserts; (8) NG 1047L inserts
- 160 (28) Assorted Pozithread threading inserts - internal/external, BA, UN, BSPT etc.,
- 161 (16) Assorted Kennametal threading inserts: UNJ, metric, etc.,
- 162 (6) Stellram spade drilling inserts UC 130SR grade SP4036
- 163 (20) Looskinkel 300mm x 25mm x 1.5mm x 14TPI HSS power hacksaw blades (German)

|     |  |
|-----|--|
| 164 | (10) Sandvik 3802 300mm x 32mm x 1.6mm x 10TPI HSS power hacksaw blades (Swedish)        |
| 165 | (7) Kapman 350mm x 25mm x 1.25mm x 6TPI HSS power hacksaw blades (Swedish)               |
| 166 | (20) Kapman 350mm x 32mm x 1.6mm x 4tpi HSS power hacksaw blades (Swedish)               |
| 167 | (30) Kapman 350mm x 32mm x 1.6mm x 6tpi HSS power hacksaw blades (Swedish)               |
| 168 | (20) Looskinkel 350mm x 30mm x 1.5mm x 10TPI HSS power hacksaw blades (German)           |
| 169 | (10) Kapman 350mm x 38mm x 2.0mm x 6TPI HSS power hacksaw blades (Swedish)               |
| 170 | (10) Kapman 400mm x 25mm x 1.6mm x 10TPI HSS power hacksaw blades(Swedish)               |
| 171 | (10) Looskinkel 400mm x 25mm x 10TPI HSS power hacksaw blades (German)                   |
| 172 | (30) Kapman 400mm x 32mm X 2.0mm X 4TPI HSS power hacksaw blades (Swedish)               |
| 173 | (10) Kapman 400mm x 38mm x 2.00mm x 4TPI HSS power hacksaw blades (Swedish)              |
| 174 | (10) Looskinkel 425mm x 30mm x 2.0mm x 6TPI HSS power hacksaw blades (German)            |
| 175 | (20) Kapman 425mm x 32mm x 1.6mm x 6TPI HSS power hacksaw blades (Swedish)               |
| 176 | (20) Kapman 425mm x 32mm x 1.6mm x 6TPI HSS power hacksaw blades (Swedish)               |
| 177 | (20) Looskinkel 450mm x 30mm x 2.0mm x 6TPI HSS power hacksaw blades (German)            |
| 178 | (20) Looskinkel 450mm x 30mm x 2.0mm x 6TPI HSS power hacksaw blades (German)            |
| 179 | (9) Kapman 450mm x 32mm x 1.6mm x 4TPI HSS power hacksaw blades (Swedish)                |
| 180 | (13) Kapman 450mm x 32mm x 1.6mm x 6TPI HSS & bi-metal power hacksaw blades (Swedish)    |
| 181 | (10) Looskinkel 450mm x 30mm x 2.0mm x 10TPI HSS power hacksaw blades (German)           |
| 182 | (18) Kapman 450mm x 32mm x 1.6mm x 14TPI HSS power hacksaw blades (Swedish)              |
| 183 | (12) Kapman 450mm x 38mm x 2.0mm x 4TPI HSS power hacksaw blades (Swedish)               |
| 184 | (10) Kapman 450mm x 38mm x 2.0mm x 4TPI HSS KASTO power hacksaw blades (Swedish)         |
| 185 | (25) Looskinkel 450mm x 40mm x 2.0mm x 6TPI HSS power hacksaw blades (German)            |
| 186 | (25) Looskinkel 450mm x 40mm x 2.0mm x 6TPI HSS power hacksaw blades (German)            |
| 187 | (10) Looskinkel 450mm x 40mm x 2.0mm x 10TPI HSS power hacksaw blades (German)           |
| 188 | (20) Kapman 450mm x 38mm x 2.0mm x 4TPI HSS bimetal power hacksaw blades (Swedish)       |
| 189 | (18) Kapman 450mm x 38mm x 2.0mm x 4TPI HSS bimetal KASTO power hacksaw blades (Swedish) |
| 190 | (10) Kapman 450mm x 38mm x 2.0mm x 6TPI HSS KASTO power hacksaw blades (Swedish)         |
| 191 | (10) Kapman 450mm x 45mm x 2.25mm x 4TPI HSS power hacksaw blades (Swedish)              |
| 192 | (30) Looskinkel 500mm x 40mm x 2.0mm x 10TPI HSS power hacksaw blades (German)           |

- 193 (20) Kapman 500mm x 50mm x 2.5mm x 4TPI HSS power hacksaw blades (Swedish)
- 194 (13) Kapman 525mm x 45mm x 2.25mm x 4TPI HSS power hacksaw blades (Swedish)
- 195 (20) Looskinkel 550mm x 45mm x 2.5mm x 6TPI HSS power hacksaw blades (German)
- 196 (20) Looskinkel 550mm x 50mm x 2.5mm x 10TPI HSS power hacksaw blades (German)
- 197 (10) Looskinkel 575mm x 45mm x 2.5mm x 4TPI HSS power hacksaw blades (German)
- 198 (10) Looskinkel 575mm x 45mm x 2.5mm x 6TPI HSS power hacksaw blades (German)
- 199 (20) Kapman 575mm x 50mm x 2.5mm x 2TPI HSS power hacksaw blades (Swedish)
- 200 (10) Kapman 575mm x 50mm x 2.5mm x 2TPI HSS KASTO power hacksaw blades (Swedish)
- 201 (20) Kapman 575mm x 50mm x 2.5mm x 3TPI HSS KASTO power hacksaw blades (Swedish)
- 202 (20) Kapman 600mm x 45mm x 2.5mm x 4TPI HSS power hacksaw blades (Swedish)
- 203 (10) Kapman 600mm x 50mm x 2.5mm x 4TPI HSS bimetal KASTO power hacksaw blades (Swedish)
- 204 (9) Kapman 600mm x 50mm x 2.5mm x 4TPI HSS power hacksaw blades (Swedish)
- 205 (10) Kapman 700mm x 50mm x 2.5mm x 3TPI HSS bimetal KASTO power hacksaw blades (Swedish)
- 206 (5) Kapman 650mm x 50mm x 2.5mm x 4TPI HSS power hacksaw blades (Swedish)
- 207 (18) Looskinkel 700mm x 55mm x 2.5mm x 4TPI HSS power hacksaw blades (German)
- 208 (1) Sandvik 100' coil M2 HSS bimetal 30 metre/100' coil; 1/4" x 14TPI
- 209 (4) Sandvik 100' coil 3/16" x 18TPI carbon steel bandsaw blade
- 210 (3) Sandvik 100' coils carbon steel bandsaw blades comprising: (1) 1/4" x 14TPI; (1) 1/4" x 18TPI; (1) 3/8" X 3 Hook
- 211 (1) 20 litres Fuchs Titan Cytrac RR 75W-90 green heavy duty fully synthetic hypoid gear oil
- 212 (1) 20 litres Fuchs Titan Cytrac RR 75W-90 green heavy duty fully synthetic hypoid gear oil
- 213 (1) 20 litres Fuchs Titan Cytrac RR 75W-90 green heavy duty fully synthetic hypoid gear oil
- 214 (1) 20 litres Fuchs Titan Cytrac RR 75W-90 green heavy duty fully synthetic hypoid gear oil
- 215 (1) 20 litres Fuchs Titan Cytrac RR 75W-90 green heavy duty fully synthetic hypoid gear oil
- 216 (2) 10 litres Sodick Vitol WX, water soluble rust inhibitor for EDM wire cutting (Japan)
- 217 (2) 10 litres Sodick Vitol WX, water soluble rust inhibitor for EDM wire cutting (Japan)
- 218 (1) 25 litre AC-90 Action Can, UN1300 turpentine substitute
- 219 (2 x 20 litre) Arrow Lotoxane 30L Solvent degreaser, non aromatic
- 220 (4 x 2kg tubs) Achem petroleum jelly

|     |  |
|-----|--|
| 221 | (12) x 400ml sprays Chem-Trend Lusin Protect G32 Red anti corrosion spray guard tins   |
| 222 | (12) x 400ml sprays Chem-Trend Lusin Protect G32 Red anti corrosion spray guard tins   |
| 223 | (20 kilos) Erodex Q-Cut EDM wire; 0.25mm, Straightened 900N/MM2;   |
| 224 | (20 kilos) Erodex Q-Cut EDM wire; 0.25mm, Straightened 900N/MM2;   |
| 225 | (2 x 8 kilo) reels Bedra Topas Plus type X 500MPa, 0.250mm EDM wire  |
| 226 | (2 x 8 kilo) reels Bedra Topas Plus type X 500MPa, 0.250mm EDM wire  |
| 227 | (2 x 8 kilo) reels Bedra Topas Plus type X 500MPa, 0.250mm EDM wire  |
| 228 | (1000 pieces) Electronics Incorporated; 'A' Almen, grade 1 premium bulk; SAE 1070 composition, Sandvik test strips; Hardness 44-50 HRC; Material size .0510 x .747; (USA manufactured) |
| 229 | (1000 pieces) Electronics Incorporated; 'A' Almen, grade 1 premium bulk; SAE 1070 composition, Sandvik test strips; Hardness 44-50 HRC; Material size .0510 x .747; (USA manufactured) |
| 230 | 2 x 8kg GF AC Brass LP500; 0.30mm dia., EDM wire electrodes CFG 02182CS1   |
| 231 | 1 x 20 litre Mobil Mobilube SHC-V fully synthetic gear lubricant   |
| 232 | (3 x 25 litres) Exol 25 litre Excelube E1577M oils   |
| 233 | (1) 25 litre Exol Anti-freeze MEG  |
| 234 | (1) 25 litre Exol Ultra AF22 Ultramax hydraulic oil  |
| 235 | (1) 25 litre Exol Tachus 32 mineral oil based slideway lubricant   |
| 236 | (1) 25 litre Exol Excelfluid NP general purpose metalworking fluid   |
| 237 | (1) 25 litre Exol Excelfluid GP semi synthetic metalworking fluid  |
| 238 | (1) 25 litre Trojan 68 industrial gear oil   |
| 239 | (1) 25 litre Trojan 150 industrial gear oil  |
| 240 | (2) 19 litres Hangsterfer S388 multi purpose coolant   |
| 241 | (2) 19 litres Hangsterfer S388 multi purpose coolant   |
| 242 | (7) 6 kilo bags white cotton rags; 500mm x 500mm   |
| 243 | (3) Jonesco JFP3 single red fire extinguisher stands with back; Polyethylene, 320mm x 750mm x 300mm  |
| 244 | (1) Denios 645mm dia., 240-013 yellow polyethylene drum funnel; Complete with (1) oil absorbent snake & (2 x 50) Darcy Drizit oil pads 480mm x 480mm                                   |
| 245 | (7) Enigma blue IBL140 industrial wipe rolls; 390mm wide x 360 metres (1000 wipes), 60mm core, 2 ply soft tissue standard  |
| 246 | (7) Enigma blue IBL140 industrial wipe rolls; 390mm wide x 360 metres (1000 wipes), 60mm core, 2 ply soft tissue standard  |
| 247 | (7) Enigma blue IBL140 industrial wipe rolls; 390mm wide x 360 metres (1000 wipes), 60mm core, 2 ply soft tissue standard  |
| 248 | (7) Enigma blue IBL140 industrial wipe rolls; 390mm wide x 360 metres (1000 wipes), 60mm core, 2 ply soft tissue standard  |

|     |   |
|-----|---|
| 249 | (7) Enigma blue IBL140 industrial wipe rolls; 390mm wide x 360 metres (1000 wipes), 60mm core, 2 ply soft tissue standard   |
| 250 | (300) 5.6 litre oval white polypropylene buckets/pails with handles complete with (100) suitable white lids   |
| 251 | (4 x 100) MJ Maillis natural sheets TS1830183038  |
| 252 | (4 x 100) MJ Maillis natural sheets TS1830183038  |
| 253 | (2) CPVC 25/31 hose; PLUS (1) 25mm x 30 metre clear hose  |
| 254 | (1) 47mm O/D x 38mm I/D PVC braided tubing 30 metre long  |
| 255 | Beko unused free standing dishwasher; DFN04210W;  |
| 256 | (13 pairs) Pulsar P346/CMB Hi Viz yellow work trousers size 42" waist, regular leg  |
| 257 | (8) Pulsar Rail yellow Hi Viz P422 long sleeve 2XL body warmers (with company logos)  |
| 258 | (8) Pulsar Rail yellow Hi Viz P422 long sleeve 2XL body warmers (with company logos)  |
| 259 | (12 pairs) Pulsar P346/CMB Hi Viz yellow work trousers size 46" waist, regular/long leg   |
| 260 | (32) Uneek UC101 assorted (7) medium, (10) XL, (15) Large, grey polo shirts (with company logo) PLUS (14) Uneek UC203 purple sweat shirts, (10) XL; (4) large, (with company logo)  |
| 261 | (12) Portwest navy B900 holdall bags  |
| 262 | (3) Pulsar Rail P487 2 part yellow Hi-Viz 7 in 1 storm jackets 2XL; (With company logo)   |
| 263 | (20) ORN Premium Oxford shirts, long sleeve, white, collar size 16; 5610-15   |
| 264 | (6) Dickies coveralls comprising: (3) WD4879 red deluxe coveralls, medium (40-42R); PLUS (2) FR5060 Firechief red 50R flame resistant coveralls PLUS (1) FR5060 Firechief coveralls (the last one with company logo)                                      |
| 265 | (36) Orange Hi Viz vests (medium - XXL), (with company logo)  |
| 266 | (19) Executive style yellow Hi Viz vests with pockets (medium to large) (logo states 'First Aider')   |
| 267 | (50) Yellow Hi Viz vests (medium to XX large) (with company logo)   |
| 268 | (8) assorted boiler/coveralls comprising: (2) Streetwise navy boiler suits 50" cotton zip/stud; (2) Dickies FR5402 orange 50T coverall; (1) navy Pioner size 48 coverall; (1) Streetwise navy 38" coverall; (2) Diablo two tone orange/navy 52" coverall; |
| 269 | (11 pairs) assorted work trousers including (2 pairs) Mascot work shorts sizes 30.5 & 40; Sizes 34, 36, 38, 40, 44, 46 navy work trousers   |
| 270 | (23) Assorted Hi Viz vests, jacket, polo shirts, long sleeve cotton vests; Various sizes, (Some with company logos)   |
| 271 | (10 Assorted ladies work wear including Dickies navy WP1500 coverall; (3 pair) Dickies size 18 navy WD855 trousers; sweat shirts etc.,  |
| 272 | (42) Assorted workwear including white lab coats (with logo); sweatshirts; polo shirts, cardigans; Tee shirts; waistcoats; etc  |
| 273 | (2) Chrome leather 1834 leather jackets X-large PLUS (1) chrome leather waist coat  |
| 274 | (2) Draper 13701 lazy tong riveters   |
| 275 | (2 sets) Irwin 4 piece Vise Grips with kit bag  |

|     |  |
|-----|--|
| 276 | (2 sets of 12 pieces) Bahco S20/SH12, 8-19mm range, chrome vanadium combination spanners   |
| 277 | (2 sets of 12 pieces) Bahco S20/SH12, 8-19mm range, chrome vanadium combination spanners   |
| 278 | (2 sets of 12 pieces) Bahco S20/SH12, 8-19mm range, chrome vanadium combination spanners   |
| 279 | (2 sets of 12 pieces) Bahco S20/SH12, 8-19mm range, chrome vanadium combination spanners   |
| 280 | (2 sets of 12 pieces) Bahco S20/SH12, 8-19mm range, chrome vanadium combination spanners   |
| 281 | (2 sets of 12 pieces) Bahco S20/SH12, 8-19mm range, chrome vanadium combination spanners   |
| 282 | (4 sets of 10) Stanley 5-64-977 flared/Phillips screwdrivers   |
| 283 | (1) Norbar torque screwdriver 13512; 1.2-6 Nm, P type, 1/4" bit holder   |
| 284 | (1) Norbar torque screwdriver 13510, 0.3-1.5 Nm, P type, 1/4" bit holder   |
| 285 | (1) Norbar SLO torque handle; 11036, 1-20 Nm, 16mm spigot  |
| 286 | (1) Gedore torque limiting screwdriver, 015200; MIN FH blue, 0.14-1.35 Nm range  |
| 287 | (6) Granton 6" filleting knives (Sheffield made)   |
| 288 | (12) GR8 PRO yellow safety packing knives  |
| 289 | Approximately (80) assorted hexagon bits, power bits etc including Kennedy 7 piece HBS12 bit set in case   |
| 290 | (2 tins of 200 pieces in each) 6HIC200, 6 spot10; 60% humidity indicating cards  |
| 291 | Nipper N20-KIT; 20 piece quick release multitool blade assortment pack   |
| 292 | (7) Nipper NCRB & N90SBI assorted carbide segment attachments  |
| 293 | (13) Nipper N32FT1 & N32BM1 bimetal & standard attachments   |
| 294 | (9) Nipper N63FT1; 63mm standard tool blade attachments  |
| 295 | (11) Nipper N44BM1 & N32CJ1 bimetal & Japan tooth attachments  |
| 296 | Assorted pliers/shears: (6) Teng 497, 5.1/2" electrical shears; (2 pair) Lindstrom 8142 snips; (3 pair) Maun 2999-160 diagonal cutting nippers; (6 pairs) CK 3713, 140mm circlip pliers  |
| 297 | (8 sets) Dewalt DT7915-QZ 11 piece screwdriver bit sets; PLUS (2 sets) Dewalt DT7908, 25 piece PZ2 sets  |
| 298 | (10) Gedore 2142TX T50 long reach T handle keys; PLUS (2 Bondhus 15372-8mm T handle hex keys   |
| 299 | (12) It's A Duddle 62412-0001 toilet seat plumber's tools  |
| 300 | Assorted Kennedy tools including: (3) Magnetic angle finders; (1) 600mm professional box spirit level; (1) 300mm professional box spirit level; (40 x 10 pieces) segment mini snap off blades; (1) Magnetic pick up tool; (50) 8 segment snap off blades; (1) Magnetic 10" scaffolder's boat level; (1) 538-210 saw; (1) 3 leg hone brake cylinder; (3) Assorted tool pouches; (150) 13 segment mini snap off blades |

- 301 Assorted hand tools: (3) Matlock 5555 medium padlocks with keys; (4) Bahco 54RM-4-7, 4in1 5mm/6mm spanners; (22) Vallorbe square & flat needle files; (10) Bahco 6" warding bastard files; (8) Bahco 10" hand bastard files
- 302 1 lot (approx 30) Kennedy chrome vanadium metric & AF combination and open ended spanners; PLUS (3) chrome vanadium sockets
- 303 (8) Assorted Trend & Kennedy TCT router bits PLUS (10 packs of 5) Trend Snappy SNAP/DB7L/5; 2.75mm HSS drills to suit SNAP/DBG/7 cutter
- 304 Assorted hand tools including: Stanley screwdrivers; Facom various socket pieces; Paint markers; Record steel vice jaws, etc
- 305 Assorted consumables including: (2) Edison stretch lights; (2) Flash lights; (1) 20 watt aluminium floodlight; (1) 240 volt grip light, Assorted bulbs etc
- 306 (1) Miller H-D Duraflex Body Fit 2 part Rapco 2D size 2 H design body harness PLUS (1) Miller 1005318 lanyard 2 metre
- 307 Assorted items including: (1) 1.5mm<sup>2</sup> PVC single cable 100 metre green/yellow; (1) 6.00mm<sup>2</sup> PVC single cable blue, 100 metre; Various 110 volt female 3 pin sockets; NIT6A Bussmann 6 amp fuses; Mersen 10 x 38g 500v; Round pin sockets; Industrial sockets; Optronics OPT & PDT punch down tool; Crimp terminals; Large qty connectivity dust caps
- 308 (18) Bosch 8mm dia., assorted SDS & Multi constructor drills
- 309 (15) Bosch assorted 6mm - 22mm SDS and constructor's drill bits
- 310 Assorted chisels; 28mm SDS adaptors; Moil point chisels, masonry drills, box spanners etc.,
- 311 (5) Cox manual bead aluminium dispensers for 310ml cartridges; PLUS (2) PCL 7mm bore grease gun flexible tubes
- 312 (8) Bailey Brother 4" drain test blanking plugs
- 313 Assorted Draper & Sealey hand tools: Draper 31318 chain splitter set; (2) Sealey TB40 warning signs; (2) HRP001 angled Hog ring pliers; (6) Draper 100mm mini levels; Draper set of 3 soft grip engineer's files; 1 metre folding wooden rule; (7 boxes of 10,000) 59840HD Draper staples;
- 314 Paint rollers; Harris TCT scaper with spare blades; Hand hawk; adhesive spreader trowel; Float; (10) Harris Gold 3" paint brushes etc.,
- 315 (16) Assorted Kennedy/Senator tape measures - various lengths
- 316 (10) 2196-4286 polyurethane blue hose coil assemblies, 2 metre 10mm O/D x 6.51mm I/D; (1) 10mm HD nylon air hose 7.5 metre extended; (1) Kennedy 4" air blow gun
- 317 Assorted items including: (5) Dewalt 329839 spares for router DW625E; (2) AEG 4931426569 armatures; Makita 619165-3 armature; Sealey 24V battery pack; Makita 193101-2 battery; (2) Dewalt DE9057 batteries; (2) Bosch S2041HM Sabre saw blades, abrasive belts etc
- 318 (1 box of 12) Spectrum Premium polypropylene pleat filters 0.2MC 20" long DOE/Silicone PPP-0.2-20AAS reference
- 319 (1 box of 12) Spectrum Premium polypropylene pleat filters 0.2MC 20" long DOE/Silicone PPP-0.2-20AAS reference
- 320 (16) BPSL 25 litre black plastic rectangular paint scuttle buckets with handles
- 321 (75) CCP CFB/75B/027 camlock couplers; Polypropylene black; GPP
- 322 (100) CPP CFC/75T/027 - 3/4 Part C, 3/4 Camlock female coupler x 3/4 hose tail GPP polypropylene black

- 323 (50) CPP CFC/75T/027 - 3/4 Part C, 3/4 Camlock female coupler x 3/4 hose tail GPP polypropylene black; PLUS (30) CFC/05T/027 - 1/2 part C 3/4 coupler x 1/2 hose tail GPP
- 324 Assorted strapping: (4) TT55YEL yellow 12.5 x 1000 metre polypropylene strapping; (1) 15.5mm PTR45G x 12000 metre green strapping; (1) 12mm x 1000 metre black strapping; (1) 13mm x 1100 metre white strapping; (1) Packer PW-60 woven polyester strapping 19mm x 600 metre
- 325 (4) Band-It Valustrap C136 EDP 13136 non magnetic stainless steel banding 3/4" wide x 100'
- 326 (4) Band-It Valustrap C136 EDP 13136 non magnetic stainless steel banding 3/4" wide x 100'
- 327 (2) Band-It 201 stainless steel C206 EDP 13206 banding 3/4" x 100' PLUS (100) Band-It AS2129 1/4" X 16.1/2" long tie lock ties
- 328 (2,000) TSP-19, 19mm phosphated buckles to suit 19mm strapping;
- 329 (2,000) TSP-19, 19mm phosphated buckles to suit 19mm strapping;
- 330 (5 boxes of 1,000) Galvanised metal serrated strapping seals PLUS (1,000) T13, 13mm snap on seals
- 331 (35) Beaverswood RBM4/5 wall mounted magnetic 4 ring binders; 300mm x 50mm (for holding documents etc to steel surface)
- 332 (42 rolls) 25 metre x 10mm wide black 330 One Wrap Velcro
- 333 (42 rolls) 25 metre x 10mm wide black 330 One Wrap Velcro
- 334 Nilfisk VP300 Hepa 240 volt commercial vacuum cleaner (unused)
- 335 (5) CHG-02EU 3M Intelligent single station battery chargers for 2-6 cell medical equipment; C/W 2 & 3 pin adaptors (for use with 3M Jupiter powered air turbo)
- 336 (5) CHG-02EU 3M Intelligent single station battery chargers for 2-6 cell medical equipment; C/W 2 & 3 pin adaptors (for use with 3M Jupiter powered air turbo)
- 337 (5) CHG-02EU 3M Intelligent single station battery chargers for 2-6 cell medical equipment; C/W 2 & 3 pin adaptors (for use with 3M Jupiter powered air turbo)
- 338 (5) CHG-02EU 3M Intelligent single station battery chargers for 2-6 cell medical equipment; C/W 2 & 3 pin adaptors (for use with 3M Jupiter powered air turbo)
- 339 LAIP 0699030301 Quick change 60 degree centering point adapter
- 340 Indexa Seiki T.1.X quick change toolpost 130mm x 85mm x 115mm
- 341 Iscar ETM ITSBORE SMH MB63-27 shell mill arbor, coolant through
- 342 Kintek BT50H160ER16AD+B milling chuck collet adapter (BT50-ER16-150ER)
- 343 Hi Grip BT50-C32-110 milling chuck
- 344 Hi Grip BT50-C42-165 milling chuck
- 345 (3) Revolving centres comprising: (1) Indexa 1MT HD revolving centre; (1) 3MT inside x 4MT outside drill sleeve; (1) 487-101 1MT revolving centre
- 346 (6) Assorted drill chucks: (3) Omega 1.5-10mm cap. 3/8 x 24UNF female thread chucks; (2) 2-13mm Keyless drill chucks 1/2 x 24UNF C/W SDS adaptors; (1) Kobe 1.5-13mm chuck 1/2 x 20UNF male thread.
- 347 (15) Assorted Jacobs chuck keys; (10) AMF DIN317-1 drill drifts; (1) 0 MT drill drift
- 348 (6) Kennedy drill chuck arbors: 3MT x 33JT; 4MT x 3JT; R8 x 6JT; B16 x 2MT; 1MT x 2JT; 2MT x 2JT

- 349 (46) Rawlplug 89-040 laminate cutters
- 350 (3) Cleervue Excel SDG1 machine drill chuck guards
- 351 (5) No 117 brazed carbide grade K20 PLUS (2) No 270 brazed carbide tools grade K20
- 352 Weber 236786 high support polyethylene lock block 75mm x 230mm x 230mm
- 353 (10) Omega assorted circular saw blades comprising: (1) 125mm dia., diamond saw blade for masonry; (3) 115mm diamond saw blades for masonry; (1) 125mm diamond saw blade for masonry; (2) 150mm x 40T TCT blades for wood; (3) 165mm x 30T TCT saw blades for wood;
- 354 (8) Omega TCT saw blades for wood comprising: (2) 180mm x 20T; (1) 184mm x 40T; (2) 190mm x 60T; (3) 210mm x 40T for wood
- 355 (5) Assorted saw blades comprising: (2) Omega 235mm x 30T TCT blades for wood; (1) 250mm x 60T for wood; (1) Redten 300mm diamond saw blade for masonry; (1) Freud LP85M 007P, 230mm x 2.8mm x 30mm bore, Z=64 for wood
- 356 (100) CP 14T Bi-Flex reciprocating saw blades 140mm o/all
- 357 (80) Ultra 2.5mm/10TPI BIM9010; 10" long reciprocating blades
- 358 1 lot (20 pieces) assorted silver steel; (14 lengths) assorted key steel; (12 pieces) assorted ground flat stock
- 359 (80) Recoil 3/4" UNF Helicoil inserts 1.5D; PLUS (3) 3/4" UNF X 16TPI HSS Recoil threading taps (USA)
- 360 Assorted Recoil inserts: (40) 3/8" UNF helicoil inserts 1.5D; (100) 5/16 UNF inserts 1.5D; PLUS (2) Recoil 5/16" UNF HSS taps to suit
- 361 (330) Recoil 1/2" UNF X 1.5D helicoil inserts
- 362 (150) Recoil 5/8" UNF x 1.5D helicoil inserts
- 363 (500) Bollhoff/Armstrong M12 X 1.75mm x 1.5D helicoil inserts
- 364 (500) Bollhoff/Armstrong M12 X 1.75mm x 1.5D helicoil inserts
- 365 (95) 1" UNF x 1.5D Recoil helicoil inserts
- 366 Assorted helicoil inserts comprising: (200) M8 X 1.5D Recoil helicoil inserts; (30) 1/4" BSP x 1.5D helicoil inserts; (17) 3/8" BSP x 1.5D helicoild inserts; (85) 1/2" BSP x 1.5D helicoild inserts; (5) 5/16BSW x 3D helicoil inserts
- 367 (14) BEV 125H bevel brushes 85mm dia., M10 female thread 30 gauge
- 368 (6) Kennedy 295-453; 125mm M14 thread 30SWG cup brushes
- 369 (7) Assorted wire brushes comprising: (2) Osborn 75mm dia., M10 0102613 162 cup brushes; (2) Kennedy 80 x 50 x 20mm 30SWG wire brushes; (2) 115mm x 11mm x 14mm, 35 SWG twisted knot brushes; (1) 80mm x 10mm x 10mm wire wheel
- 370 (11) Pferd TBU 6015 Inox stainless steel 0.3 mounted cup brushes
- 371 Assorted mandrel mounted wheels, tube brushes; (8) 3M No. 3 6210 diamond files; Disc pads, polishing soap etc.,
- 372 (14) Assorted sharpening stones: (5) Norton 1/2 x 1 x 4" FB24 stones; (9) Kennedy fine bench stones 100mm x 25mm 6mm;
- 373 Assorted bench stones: (2) 150mm x 50mm x 25mm fine stones;(1) 255-372 cigar shaped sharpening stone; Mounted points; (5) Norton MF234 round stones; Assorted Engis Xebec stones

- 374 (10) Destaco 323 pull action toggle/latch clamps
- 375 (10) Destaco 323 pull action toggle/latch clamps
- 376 (2) Indexa P1600-45 base mounted push pull clamps
- 377 (10) Kemet 5 gram diamond compound 14-OS-C2 in precision applicator
- 378 (100) Millipore membrane filters 3.0UM SSWP 04700 Nitro cellulose membrane 47mm dia.,
- 379 (300) Locker woven stainless steel SS304 grade wire mesh filters, S1726, 108mm dia, mesh 80, wire 0.14mm
- 380 (400) Locker woven stainless steel SS304 grade wire mesh filters, S1276, 108mm dia, mesh 180, wire 0.05mm
- 381 (400) Locker woven stainless steel SS304 grade wire mesh filters, 108mm dia, mesh 200, wire 0.050mm
- 382 (550) Locker woven stainless steel SS304 grade wire mesh filters, 64mm dia, mesh 120, wire 0.090mm
- 383 (500) Assorted Locker woven stainless steel SS304 grade wire mesh filters comprising: (300) S1813 reference, 72mm dia., RF200, mesh 200, wire 0.05mm; (100) S1585 reference, 72mm dia., 180 wire, 0.05mm wire; (100) S1584 reference, 72mm dia., mesh 80, wire 0.14mm
- 384 (3 X 500) 3M PD-01-001 Ear Classic refills in dispensers; (200 pairs) Honeywell 1013046 Max refills for LS-400 dispenser; (50 pairs) Honeywell SmartFit corded reusable earplugs
- 385 (1) Norton 250mm x 50mm x 76.2mm 38A46 LVS grinding wheel PLUS (1) York 200mm x 20mm x 31.75mm grinding wheel WA46 K5V grade
- 386 ( 6 reels) Flexo-line modular coolant hose systems; 3/4 bore x 7.5 metre per reel; Rotolo FP30DA 7.5 metre reference
- 387 Assorted pieces including: (1) Loc Line 1/2" hose assembly pliers; PLUS assorted modular nozzles, hose etc.,
- 388 (8) Tractel LCR reducing adjustable lanyards 12mm standard rope
- 389 Assorted steel chain comprising: 5 lengths x 2.7 metre long; (3) 3 metre stainless steel A316 chain, 6mm short link; (8) Stainless steel locking carbine hooks 8mm dia., x 80mm o/all; (1) 20mm drop forged dynamo eyebolt etc.,
- 390 Assorted machine shop consumables including: (2 sets) Thame TEC EJR soft scroll jaws to suit Pratt 18/21 & 24" 3 jaw chucks; (12) Avdel 7210-2104, 1/4" blades; (Approx 100 pieces) magnetic backed 'Category A' & 'Category B' size A5 machine signs; Milling chuck collet; Multi rib drive belts 470J-16; (8) Contitech rib belts, Contivwedge belts; O rings, Rexnord 128-1 British standard roller chain DIN 8187, 25 metre long
- 391 Kobe stainless steel 20 litre electric kitchen water urn
- 392 Kobe stainless steel 20 litre electric kitchen water urn
- 393 (3) Seko PXB1F04N0000 Promax chemical 4 litre/minute wall mountable dosing dispensers
- 394 (4) Seko PXB4F04N0000 Promax chemical 4 litre/minute wall mountable LP NE 4 product dosing units
- 395 ( 7 boxes of 1000) 10166-60 green Chenille pipe cleaners, 6mm x 12" long (boxed in 100's)
- 396 Wall mounted stainless steel butt end bin
- 397 Assorted Norton abrasive Speedlok TR discs: (120) S2208, 2" surface blending discs; (100) S2428, 75mm fine Rapid prep discs; (400) S2528/S2308, 25mm Speedlok discs;

- 398 (120) 3M ScotchBrite discs 178mm x 22mm bore DN-9999-9332-7
- 399 (120) 3M ScotchBrite discs 178mm x 22mm bore DN-9999-9332-8
- 400 Assorted abrasives: (2) Sait 50mm x 50 metre P400 cloth rolls; (1) 25mm x 50 metre x 240 grit Sait cloth roll; (3) 3M 314D abrasive cloth workshop rolls 25mm x 50 metre x 60 grit; (3) Sait 115mm x 25 metre 3S-C, 180 grit paper rolls; (2) Sait 115mm x 25 metre 4S-P280 paper rolls with foam
- 401 (10) 44116 sisal dry mops 12 x 4 section; PLUS (1) 0401-132, 8x1 section mop; (1) 6" x 3 section stopol sisal mop
- 402 (500 sheets) Buehler Carbimet SIC silicone carbide grinding paper 200mm; P320 grit
- 403 (100) 3M ScotchBrite 05532 CRS 3" Roloc TR surface conditioning discs
- 404 (74) Sait 180mm x 3.2mm x 22mm bore metal cutting wheels A30Q
- 405 Assorted flap wheels: (14) 3M 339 abrasive flap wheels 8030 size 6mm shank, 80 grit; (6) 3M 6015 flap wheels 40 grit; (15) Roloc 8A medium unitized wheels 2" dia.,
- 406 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 407 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 408 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 409 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 410 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 411 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 412 (400) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P180 grit
- 413 (900) Sait SAITAC-VEL Hook & loop Velcro backed paper discs 150mm dia., F7; P400 grit
- 414 (200) G Wendt 103271 flap wheels, 20mm dia., x 20mm wide x 3mm spindle, A320 grit
- 415 (200) G Wendt 103271 flap wheels, 20mm dia., x 20mm wide x 3mm spindle, A320 grit
- 416 Assorted discs (50) Dronco 180mm x 3mm wide depressed centre discs for metal; (16) Norton 180mm x 7mm thick DCD for metal; (25) 125mm x 3mm slitting discs for stone; (Approx 200) 115mm Sait 60 grit fibre sanding discs etc
- 417 (160) Sait PL 100mm x 3mm x 16mm bore cut off wheels for metal
- 418 Assorted flap discs: (6) Dronco No 120, 115mm flap discs; (25) SAILLAM 115mm x 22mm discs grade 40g; Various flap wheels, discs; (18) Garryson 8050 flap wheels 220 grit
- 419 (6) Festool sanding pads: (3) ST-STF-LEX125/90/B/M8H hard sanding pads PLUS (3) ST-STF-LEX125/90/B/M8SW soft sanding pads
- 420 3M backing pads (5) 3M, 180mm x M14/5/8" BSW backing pads PLUS (3) 3M 125mm 09386 backing pads
- 421 Assorted abrasive accessories including: Kennedy polishing foam pad 150mm dia., 150mm backing pad; (40) Blueline 6250 medium 115mm maroon discs; (2) Bosch 1 607 950 043 grinder fastening spanners; Assorted pad fastening spanners; Wire wheel steel side plates etc.,

- 422 (2) 3M 18672 ScotchBrite DB-WL 9S FIN deburring wheels; 150mm dis x 25mm wide
- 423 (2) 3M 18672 ScotchBrite DB-WL 9S FIN deburring wheels; 150mm dis x 25mm wide
- 424 Assorted 3M abrasives: (200) 316U Hookit discs 150mm dia/ 400 grit; (50) 115mm 985C fibre discs 36 grit; (90) abrasive belts 13mm x 610mm 237A65; (100) 13mm x 457mm cloth backed sanding belts 80 grit; (50) 3M 50016 76mm abrasive discs; (100) 3M 268L Stikit discs 60 Micron, 150mm dia., (5) 100mm x 289mm AMED SC/BF belts
- 425 Assorted abrasives: (30) VSM, 150mm x 229mm 100 grit non woven hand pads; (18) Sait 100mm x 610mm abrasive belts, 60 grit; (16) 100mm x 610mm abrasive belts 100 grit; (10) 100mm x 2000mm belts 36 grit; (20) 150mm x 2000mm belts 36 grit; (9) 30mm x 533mm linisher belts 240 grit; (20) Norton R822 belts 150mm x 1905mm 60 grit.
- 426 Assorted office consumables including: (2) large steel hole punches; (30) Rapesco 50mm binder clips; Rexel ligh duty steel stapler; Trodat professional numberer stamp; (1000) cornerFix 75mmx 75mm 8281; (100) blue BX210820 A4 plastic binding combs; (8) Dymo plastic label refills; Magnetic tape, Pouches; BOTT display pegs; (50) A4 Suspension files etc.,
- 427 Assorted safety spectacles: (20) 3M SF202AF-EU Secure fit specs; (4) 3M PC clear goggles 13330-00000m; (3) ILES Stephens specs; (15) Fire tinted specs
- 428 (1) Leeda VOLARE breathable chest waders - medium size
- 429 (2) Sherpa DURABLE Table 20 display systems
- 430 (2) DELL Use & Return 90DC4 image drum toner cartridges
- 431 (1) Lexmark T650A11E One return print cartridge
- 432 Assorted print cartridges comprising: (2) Brother PC-201 cartridges; (2) Canon FX10 cartridges; (2) Xerox staple cartridges 008R 12864; (6) Various pring cartridges
- 433 (6 boxes of 600) Brother DK-11240 bar code labels; black on white paper, 102mm x 51mm
- 434 (1) TAO Tronics USB Bar code scanner; Wired hand held; Automatic scensing/scan. Black; 30-880001-003
- 435 (3) Dymo Omega embossing label markers PLUS (9) Dymo white plastic label refills
- 436 Assorted steel tail pieces, threaded adaptors, automatic air tool lubricator; Female connectors; (10) Airpro Twist Air couplings; HTF1010 HVFF10- flow control valves; (50) Drive couplings KTR-Rotex GS19-CP8251 ETC.,
- 437 Assorted adhesives including: (9) Krylex KR386-50ml retainers; Loctite 3090 adhesive; 2700 threadlock; (5) Loctite 435 20g instant adhesive; (12) 20g Loctite 435 20g adhesive; (1) Loctite LB 8201 400ml spray (out of date by 1 month)
- 438 (24) Geocel Auto RTV Silicone rubber instant gasget sealant, 78g tubes
- 439 Assorted syringes including: (75) 5ml BD Emerald syringes; (58) BD 20ML Plastipak syringes; (6) Techcan 71003RHB 700 10CC rec head assemblies with 3' hose; (50) TE718050PK TE needles 18GA 1/2" green; (50) TE 715050PK TE needles 15GA 1/2" amber
- 440 (7) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL005; 3000mm length x 3mm dia.,
- 441 (7) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL005; 3000mm length x 3mm dia.,
- 442 (7) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL005; 3000mm length x 3mm dia.,
- 443 (7) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL005; 3000mm length x 3mm dia.,

|     |   |
|-----|---|
| 444 | (7) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL005; 3000mm length x 3mm dia.,  |
| 445 | (10) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL003; 3000mm length x 1.5mm dia.,   |
| 446 | (10) Roxspur Measurement & Control temperature thermocouples; Type N; TTEXL003; 3000mm length x 1.5mm dia.,   |
| 447 | (24) Sitesafe sprays CCA500 Electrical contact cleaner Trike free   |
| 448 | (24) Sitesafe sprays CCA500 Electrical contact cleaner Trike free   |
| 449 | (24) Sitesafe sprays CCA500 Electrical contact cleaner Trike free   |
| 450 | (20) Sitesafe sprays FCA500 Anti static foam cleaner  |
| 451 | (20) Sitesafe sprays FCA500 Anti static foam cleaner  |
| 452 | (20) Sitesafe sprays FCA500 Anti static foam cleaner  |
| 453 | Assorted paints including: (1) 5 litre HMG UB215 gloss binder; (1) 5 litre AD100 Spencer black finish paint; (1) 5 litre Hammerite dark green smooth paint; (1) 5 litre Bostik 1GA516 adhesive (may be out of date); (3) 5 litre PPG Sigmafast 20 grey; (1) 5KG Molykote D; (1) Ambersil Bloweld anti spatter spray; (1) Platicote heat shield spray; (3) Molydal Airbul leak detector sprays |
| 454 | Assorted lubricants including: (12) Tectyl Glashielder KLAR aerosol 400ml rust preventative; (4) Tygris T500, 450g metalworking paste; (1) Stag 500ml Wellseal jointing compound; (1) T510 350ml metalworking fluid; (13) Ambersil 9011 matt black paint spray; (3) Evostik Flashband 225mm x 10 metre self adhesive rolls  |
| 455 | (6 x 5 litre) Fleetkleen industrial strength cleaner & degreaser for hard surfaces  |
| 456 | (6 x 5 litre) Fleetkleen industrial strength cleaner & degreaser for hard surfaces  |
| 457 | (4 x 3.78 litre) 3M, LUB-1/3,78 wire pulling lubricants   |
| 458 | (4 x 3.78 litre) 3M, LUB-1/3,78 wire pulling lubricants   |
| 459 | (4 x 3.78 litre) 3M, LUB-1/3,78 wire pulling lubricants   |
| 460 | (1) 48" (1200mm) Heavy duty aluminium pipe wrench   |
| 461 | Assorted Tygris 400ml aerosol sprays: (7) Water R213 Displacing anti rust agent; (4) stainless steel cleaner sprays: (4) Zinc galvanising HD spray, primer & protect; (4) White grease with PTFE sprays; (2) Ceramic release sprays   |
| 462 | (20) Dow Corning Molykote DC4 100g electrical compound (USA)  |
| 463 | (4) Lubcon 1000ML Turmopast MA2 synthetic lubricant & assembly paste (German)   |
| 464 | (2) Kluber 1 kilo tubs Isoflex Topas L32N fully synthetic lubricating grease (Austrian)   |
| 465 | (20) Stihl 100ml HP 1:50 2 stroke engine oil (German)   |
| 466 | (12) Slick 50, 50ml engine treatment oil  |
| 467 | (1) MJ Allen RMF Gabro SF600 manual bench sheet folder; 600mm wide  |
| 468 | (50) Chaperone Chieftain CCP-A04W Ultimate personal safety alarm wih battery and wall mouning brackets  |
| 469 | (50) Chaperone Chieftain CCP-A04W Ultimate personal safety alarm wih battery and wall mouning brackets  |

- 470 (50) Chaperone Chieftain CCP-A04W Ultimate personal safety alarm wih battery and wall mouning brackets
- 471 (50) Chaperone Chieftain CCP-A04W Ultimate personal safety alarm wih battery and wall mouning brackets
- 472 (50) Chaperone Chieftain CCP-A04W Ultimate personal safety alarm wih battery and wall mouning brackets
- 473 (50) Chaperone Chieftain CCP-A04W Ultimate personal safety alarm wih battery and wall mouning brackets
- 474 (12) Microclean Guardtak 36" x 45" sticky mats in white PLUS (8) 18" X 45" blue Guardtak sticky mats
- 475 (600) Male to male vibration bobbins; M5X20/M5X10 1515mm 10/20 - 60g
- 476 (600) Male to male vibration bobbins; M5X20/M5X10 1515mm 10/20 - 60g
- 477 (600) Male to male vibration bobbins; M5X20/M5X10 1515mm 10/20 - 60g
- 478 (600) Male to male vibration bobbins; M5X20/M5X10 1515mm 10/20 - 60g
- 479 (600) Male to male vibration bobbins; M5X20/M5X10 1515mm 10/20 - 60g
- 480 (600) Male to male vibration bobbins; M5X20/M5X10 1515mm 10/20 - 60g
- 481 (5 boxes of 72) 3M Scotchweld mixing nozzles EPX MX 5.4-17-S-S1; PLUS (600) mixing nozzles 260mm long
- 482 1 lot assorted bottles: (5) 1000ml plastic bottles with lids; (5) Kartell 1618 plastic bottles 2 litre, wide neck; 1 lot EPC 1008 EGD black plastic boxes with foam liners; (5) 250ml No 215/0350/17 S/neck glass bottles with lids; 1 box threaded plastic inners
- 483 Aluminium adjustable height sack barrow
- 484 VAX Commercial VCC-08A Vacuum cleaner 240 volt
- 485 (3,800) Hellermann Tyton 111-01919 T18R natural nylon cable ties 2.5mm x 100mm long
- 486 (3,400) Assorted cable ties
- 487 (38) Non woven socket white midi mop heads on plastic socket
- 488 (40) PAL non woven white medium N77112 disposable visitors coats; PLUS (900) 843K Hair-Tec metal free disposable hair nets
- 489 (170 x packs of 10) Eaton Pull up type security seals printed with serial numbers, green, 190mm length.
- 490 (10 pairs) GL124 RHINOWeld heavy duty aluminised welder's gloves; PLUS (4) HB Tempex 12003 7H009000 15 EHG aluminised helmet covers
- 491 (25 pairs) Mapa size 6 Krytech 557 High Cut resistant gloves; (4 pairs) 4343 Kutlass PU size 8 cut resistant gloves; (5 pairs) TG 165 Motion rubber coated size 10 vut 1 gloves
- 492 (60 pairs) Assorted safety gloves
- 493 (6 boxes of 100) PAL nitrile large blue disposable gloves; (2 x 100) Blue nitrile Ice blue super touch medium disposable gloves; (2 x 100) Tuffsafte X-large blue vinyl gloves; (10 pairs) Tegara size 7 latex flock lined food safe gloves 8145 ref., (10 pairs) Tegara 8145 size 8; (10 pair) Tegara 8150 size 10; (3 pairs) Marigold XL G07B+ gloves; (1 pair) Mapa Ultra nitrile 480 size 10 gauntlets; (200) Somperguard Xtra lite small nitrile gloves
- 494 (6 pairs) Himalayan assorted footwear: (3 pairs) 4103 size 6 black boots; (1 pair) size 8 151B black dealer boots; (1 pair) size 8 tan rigger boots; (1 pair) 710 black size 10 dual density boat shoes

- 495 (3 pairs) Jalas King 4468 safety boots (made in Finland) comprising: (2 pairs) size 8; (1 pair) size 13
- 496 (5 pairs) Goliath Crazy Horse Derby boots brown comprising: (3 pairs) size 9; (1 pair) size 11; (1 pair) Golden tan riggers boots size 11
- 497 (5 pair) Assorted safety boots comprising: (1 pair) Dr Martens Turbine Gaucho metal free boots, size 13; (1 pair) Bosch WBG S3 size 7 safety boots; (1 pair) V12, V1801 black boots size 8; (1 pair) Uvex 6982.8 safety boots size 12
- 498 (6 pair) Ladies safety footwear comprising: (2 pairs) Honeywell size 37 (4.1/2 UK size) Blue Bacou Lite shoes; (1 pair) size 5 safety boots; (1 pair) size 3 safety boots; (1 pair) Uvex size 3 boots; (1 pair) Oxford size 5 shoes
- 499 (3 pairs) Sievi size 4 RIFF SBAE safety clogs black (made in Finland)
- 500 (8 pair) Safety boots comprising: (2 pairs) size 7 black boots; (1 pair) size 11 black shoes; (1 pair) size 11 trainers; (1 pair) white size 12 shoes; (1 pair) size 10 foundry boots; (1 pair) size 11 safety wellingtons; (1 pair) size 7 white safety wellingtons
- 501 (19 pairs) Sorbothane Cush N Stop size 3/4 replacement comfort insoles
- 502 (17 pairs) Assorted Sorbothane Cush N Stop replacement insoles comprising: (4 pairs) size 8; (5 pairs) size 11/12; (8 pairs) size 5/6; (2 pairs) size 12/14 slip resistant overshoes
- 503 Assorted safety spectacles comprising: (8 pairs) Brand BBACS specs; (16 pairs) clear protective overglasses; (1 pair) Uvex 9160-520 Amber glasses
- 504 (62 rolls) Advance AD0502 silver aluminium foil tape 30 microns; 50mm x 45 metres
- 505 (68 rolls) Avon hazard red marking tape; 50mm wide x 33 metres
- 506 Assorted industrial tape including: (48 rolls) Avon 1" silver duct tape; (100 rolls) 12mm x 66 metre white vinyl tape; (24 rolls) 9mm Fine Line blue tape FLT-9x50M; (3 rolls) GS170X, 70mm x 1200 metre reinforced gummed tape; (7 rolls) 3M Acrylic foam tape 4430P; 25mm x 66 metre
- 507 (120) No.20-5 wooden handle steel ferrule sash brushes
- 508 (120) No.20-5 wooden handle steel ferrule sash brushes
- 509 (1) Reelcare BRG-10-S air hose on retractable reel; Hose 10 x 15; (Note: No wall attachments available)
- 510 (40) 3M shot & sand blasting screens; 570mm x 250mm
- 511 (1) Defender swing leg tripod site light 100 volt E58058 halogen head with 5 metre cable & 16A plug; PLUS (1) 110 Volt site light with 2 110 volt sockets (note, cracked light cover)
- 512 (7) 200mm x 50mm wide T/P swivel castors, zinc plated, no brake V82Q200PNR05
- 513 (8) 200mm x 50mm wide T/P swivel castors, zinc plated, no brake V82Q200PNR05
- 514 (8) 200mm x 50mm wide T/P swivel castors, zinc plated WITH LOCK BRAKE
- 515 (5) 200mm x 50mm wide T/P swivel castors, zinc plated WITH LOCK BRAKE
- 516 (4) LAG 180/50-140 castors; 180mm dia., comprising (2) swivel, (2) fixed
- 517 (11) Assorted castors comprising: (4) BOTT 16917038 Verso swivel trolley castors with brakes, 100mm dia., x 30mm wide; (2) 125mm swivel castors zinc plated G/RUB tyres; (2) 80mm T/P fixed castors P/N wheels; (2) 125mm T/P swivel castors zinc plated nylon wheels; (1) 80mm T/P swivel castor P/N with brake; PLUS (10) CR025, 25mm rubber feet c/w steel inserts
- 518 (6) GO SYSTEM AP2010H auto start power gas torches

- 519 (7) Gold Freeze A300102 heat protection face glass; Gold plated, curved composite; For face shields; 100mm x 220mm ZFKCL 200 269348
- 520 (44 pieces) Weldability shaded welding filter lenses '10' EN169; EHW 425410G; 4.1/2" X 5.1/4" shade 10
- 521 Assorted welding consumables including: (4 pair) Parweld Panther size 10 welding gloves; (1) 3M Speedglas 9000 freshair weld shield only; (1) ESAB AT433 cutting torch; (100) 1/4 x 12" gouging carbons; (32) Prospot PST19-50F, 3/4" dia., flat male electrodes, BS807 in brass; Flux paste, Murex spares; (5) SWP weld crack detection sprays; Fronius pressure rollers; 3M 6054-K1 filters; (4 pair) 6075 3M filters; (1) 3M Speedglas 9002 welding filter; (60) 3M, S-957L shield protectors
- 522 (10) 19' x 1.1/2" x 3/4TPI Simonds M42 bimetal bandsaw blades
- 523 (12) Assorted M42 Simonds bandsaw blades: (3) 24'11.1/2" x 2" wide x 3/4TPI M42 bimetal Simonds bandsaw blades; (3) 5400mm x 1.1/2" x 2/3TPI Simonds M42 bimetal bandsaw blades; (2) 6300mm x 1.1/2" x 1.3mm x 2/3TPI Simonds M42 bimetal bandsaw blades; (2) 5398mm x 1.1/2" x 1.3mm x 2/3TPI Simonds M42 bimetal bandsaw blades; (2) 7200mm x 54mm x 1.6mm x 1.5/1.9TPI Simonds M42 bimetal bandsaw blades
- 524 Assorted bandsaw blades - please see attachment for full descriptions
- 525 Assorted office consumables including: (18 x 300 wipes) 85109 Superior polycellulose wipes 9" x 9"; (16,000 x 3 boxes) Self adhesive labels on rolls 80mm x 70mm; (6 x 1000) Sage compatible 2 part continuous pay slips; (2 boxes) assorted warning stickers; (1000) Sapphire LDPE poly bags, 100mm x 150mm; (2 x 250) Munnsing clean room paper 210mm x 297mm; (250) A4 white card; CD labels etc.,
- 526 Assorted welding consumables including: (2 x 15kg) Murex 1.2mm Bostrand LWI Mig wire spools; (1 x 20kg) low alloy steel wire; Loctite 362 60EN5C 1.6mm S Multi core solder; (1) WIFS5RL Sealing wire 170 metre spool; (1) 0.25mm Annealed 316 stainless wire 1kg
- 527 (18 packs) Staedtler Lumocolor 311 WP6 non permanent superfine pens
- 528 Large quantity including: (6) Kone first aid workplace kits; (2 x 5 litre) floor cleaner; Assorted first aid dressings; Raaco 48 drawer small parts cabinet; Cotton buds; Butt hinges; (6 x 1200ml) hand rub; Yellow paint markers; Plastic garden drip trays; (20) Jayes 750ml washroom cleaner spray; Mousetraps; Brushes etc.,
- 529 (35) M36 Fabory zinc plated full nuts PLUS (100) M24 zinc plated full nuts
- 530 (2) M30 x 1 metre stainless steel threaded bar
- 531 1 pallet assorted BZP metric hexagon headed bolts complete with plastic storage bins
- 532 1 pallet Assorted washers, brass washers, stainless & BZP fasteners, self tappers; Machine screws; Split washers, taper washers, lock nuts, cotter pins, tension pins etc complete with plastic storage bins
- 533 (2 pallets) of fasteners comprising: (1 pallet) Allen Gear spare parts including fasteners etc., PLUS (1 pallet) assorted hexagon nuts, washers, dowel pins etc.,
- 534 1 pallet assorted U bolts, woodscrews, (5,200) Timco twin threaded woodscrews; wall screws etc.,
- 535 1 pallet large quantity stainless steel & BZP fasteners; Self coloured fasteners etc.,
- 536 3,000 ( 3 boxes of 1000 in each lot) PAL R50 233 ambidextrous nitrile gloves Large size (packed in 100's); BLUE
- 537 3,000 ( 3 boxes of 1000 in each lot) PAL R50 233 ambidextrous nitrile gloves Large size (packed in 100's); BLUE
- 538 3,000 ( 3 boxes of 1000 in each lot) PAL R50 233 ambidextrous nitrile gloves Large size (packed in 100's); BLUE

- 539 (1,000) Ansell 93-401 nitrile Silky Ultra clean, disposable cleanroom gloves; Large 8/8.5 size; Textured fingers, 12" length (packed in 100's); Ambidextrous, natural colour
- 540 (1,000) Ansell 93-401 nitrile Silky Ultra clean, disposable cleanroom gloves; Large 8/8.5 size; Textured fingers, 12" length (packed in 100's); Ambidextrous, natural colour
- 541 (1,000) Ansell 93-401 nitrile Silky Ultra clean, disposable cleanroom gloves; Large 8/8.5 size; Textured fingers, 12" length (packed in 100's); Ambidextrous, natural colour
- 542 (1,000) Ansell 93-401 nitrile Silky Ultra clean, disposable cleanroom gloves; Large 8/8.5 size; Textured fingers, 12" length (packed in 100's); Ambidextrous, natural colour

**END OF SALE**

For details of forthcoming sales and to be placed on our email mailing list please visit [eddisons.com/online](http://eddisons.com/online)